



# **PAVEMENT MANAGEMENT**

## **HISTORICAL PAVEMENT INDEX REPORT**

Data from 1997 - 2006  
Compiled January, 2007

**District One**

Prepared by:  
Idaho Transportation Department  
Division of Planning and Programming



# DEFINITIONS OF TERMS USED IN THE ANNUAL INDEXLIST REPORT

**D:** The Idaho Transportation Department maintenance district number. It can be 1 - 6.

**Route:** The Route Number of the Highway (097 means State Highway 97, 084 means Interstate 84).

**MACS Code (Segment Code):** six-digit number that identifies the section of highway according to the code in the Milepost and Coded Segment (MACS) System.

**Beginning Milepost:** The milepost at the beginning of the test section of highway.

**Ending Milepost:** The milepost at the ending of the test section of highway.

**DIR:** Refers to direction of testing on a divided highway. Ascending means in the direction of ascending mileposts. Descending means the opposite direction.

**YEAR:** Shows the year to which the indices correspond.

**RI (Roughness Index):** Formerly called PSI, this index is a 0 - 5 rating of the pavement section's roughness. This number is now obtained via profile measuring equipment.

**CI (Crack Index):** The CI is a rating similar to the RI, 5.0 corresponding to a section with little or no cracking and 0.0 representing sections with extreme cracking. Pavements are rated annually by the Pavement Management Engineer.

**SN (Skid Number):** A value (typically between 20 - 100) that represents a relative pavement friction index as measured by the locked-wheel skidmeter.

**FINAL INDEX:** This is the final pavement index for the section. It represents a weighted average of the CI and RI, based on factors such as traffic volume and traffic speed.

**REMARKS:** This area is to report any pavement related rehabilitation project for that pavement section and year. Also this area can be used for the user's own comments.

----HISTORICAL PAVEMENT CONDITIONS----  
FINAL INDEX REPORT FOR 1997-2006

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT		REMARKS						
										INDEX	DEPTH							
1	S.H.-1	001540	522.297	522.929	N	2004	1.30	3.40	52	2.47	0.29							
						2005	3.60	3.40	44	3.48	0.04							
						2006	3.50	3.40	44	3.44	0.05							
1	S.H.-1	001580	000.000	006.325	N	1997	3.10	3.00	51	3.04	0.13							
						1998	3.10	3.00	51	3.04	0.13							
						1999	3.10	3.00	52	3.04	0.15							
						2000	3.20	3.00	52	3.08	0.17							
						2001	2.80	3.00	52	2.91	0.17							
						2002	3.00	3.00	52	3.00	0.18							
						2003	3.00	2.90	52	2.94	0.16							
						2004	3.10	5.00	52	4.15	0.16	C.R.A.B.S.						
						2005	3.90	5.00	44	4.51	0.07							
						2006	3.90	5.00	44	4.51	0.07							
						1	S.H.-1	001580	006.325	011.185	N	1997	2.70	3.50	51	3.16	0.14	
												1998	2.50	3.50	51	3.09	0.13	
1999	2.60	3.50	56	3.12	0.15													
2000	2.70	2.60	56	2.64	0.18													
2001	1.50	2.50	51	2.08	0.15													
2002	2.90	2.50	51	2.66	0.16													
2003	2.90	2.50	51	2.66	0.16													
2004	3.00	5.00	51	4.17	0.15							C.R.A.B.S.						
2005	4.00	5.00	44	4.58	0.03													
2006	4.00	5.00	44	4.58	0.04													
1	S.H.-1	030861	521.760	522.297	N							2004	5.00	00	5.00	0.00	NEW CONST OR RECONST (FLEX)	2004
												2005	3.00	5.00	00	4.19	0.11	
						2006	2.30	5.00	00	3.91	0.08							
1	U.S.-2	001590	000.000	000.527	N	1997	2.50	4.50	35	3.58	0.11							
						1998	2.50	4.50	35	3.58	0.14							
						*1999	2.30	4.50	39	3.48	0.15							
						2000	2.70	4.50	42	3.62	0.18	PLANT MIX OVERLAY						
						2001	2.60	4.50	21	3.62	0.21							
						2002	2.50	4.50	21	3.58	0.25							
						2003	2.50	3.50	21	3.04	0.26							
						2004	2.50	3.50	21	3.04	0.21							
						2005	2.60	3.50	44	3.08	0.26							
						2006	2.40	3.50	44	2.99	0.25							

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT  
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----  
FINAL INDEX REPORT FOR 1997-2006

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT		REMARKS		
										INDEX	DEPTH			
1	U.S.-2	001590	000.527	005.375	N	1997	3.10	2.50	33	2.77	0.31			
						1998	3.20	2.50	33	2.82	0.35			
						*1999	3.00	3.00	26	3.00	0.38			
							2000	3.20	5.00	28	4.17	0.13	PLANT MIX OVERLAY	2000
							2001	3.40	5.00	24	4.26	0.16		
							2002	3.30	5.00	24	4.22	0.17		
							2003	3.30	5.00	24	4.22	0.20		
							2004	3.30	5.00	24	4.22	0.21		
							2005	3.30	5.00	44	4.22	0.21		
							2006	3.30	4.80	44	4.11	0.25		
1	U.S.-2	001590	005.375	006.861	N	1997	2.60	2.00	28	2.28	0.28			
						1998	2.60	3.00	28	2.80	0.28			
						1999	2.80	3.00	21	2.90	0.19			
							2000	2.60	5.00	21	3.84	0.05	PLANT MIX OVERLAY	2000
							2001	2.60	5.00	44	3.84	0.08		
							2002	2.60	5.00	44	3.84	0.12		
							2003	2.60	5.00	44	3.84	0.14		
							2004	2.60	5.00	44	3.84	0.14		
							2005	2.50	5.00	44	3.79	0.16		
							2006	2.40	4.70	44	3.59	0.18		
1	U.S.-2	001590	006.861	012.988	N	1997	3.00	3.50	33	3.26	0.26			
						1998	3.10	3.50	33	3.30	0.30			
						1999	2.90	3.50	37	3.21	0.35			
							2000	3.00	3.50	37	3.26	0.37	SEALCOAT	2000
							2001	3.10	3.50	37	3.30	0.29		
							2002	3.20	3.50	37	3.35	0.28		
							2003	3.20	3.50	44	3.35	0.32		
							2004	3.20	3.50	44	3.35	0.32		
							2005	3.10	3.50	44	3.30	0.29		
							2006	3.10	3.50	44	3.30	0.34		
1	U.S.-2	001590	012.988	014.950	N	1997	3.50	5.00	33	4.28	0.04			
						1998	3.40	5.00	33	4.23	0.07			
						1999	3.30	5.00	34	4.18	0.09			
							2000	3.40	5.00	34	4.23	0.10	SEALCOAT	2000
							2001	3.30	5.00	34	4.18	0.08		
							2002	3.40	5.00	34	4.23	0.11		
							2003	3.40	5.00	44	4.23	0.12		
							2004	3.40	5.00	44	4.23	0.15		
							2005	3.40	5.00	44	4.23	0.14		
							2006	3.30	5.00	44	4.18	0.16		

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT  
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----  
FINAL INDEX REPORT FOR 1997-2006

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT		REMARKS
										INDEX	DEPTH	
1	U.S.-2	001590	016.030	017.010	N	1997	3.50	5.00	33	4.28	0.02	
						1998	3.40	5.00	33	4.23	0.06	
						1999	3.10	5.00	37	4.09	0.08	
						2000	3.30	5.00	37	4.18	0.08	SEALCOAT
						2001	3.00	5.00	37	4.04	0.08	
						2002	3.40	4.80	37	4.12	0.06	
						2003	3.40	4.80	44	4.12	0.09	
						2004	3.40	4.80	44	4.12	0.10	
						2005	3.40	4.80	44	4.12	0.08	
						2006	3.30	4.80	44	4.08	0.10	
1	U.S.-2	001590	017.830	019.010	N	1997	3.40	5.00	33	4.23	0.03	
						1998	3.40	5.00	33	4.23	0.04	
						1999	3.40	5.00	39	4.23	0.06	
						2000	3.30	5.00	39	4.18	0.07	SEALCOAT
						2001	3.20	5.00	39	4.13	0.06	
						2002	3.30	5.00	39	4.18	0.07	
						2003	3.30	5.00	44	4.18	0.08	
						2004	3.30	5.00	44	4.18	0.11	
						2005	3.30	5.00	44	4.18	0.10	
						2006	3.20	4.00	44	3.61	0.14	
1	U.S.-2	001590	019.390	019.900	N	1997	2.90	5.00	47	3.99	0.04	
						1998	3.00	5.00	47	4.04	0.06	
						1999	2.90	4.70	38	3.83	0.08	
						2000	2.90	4.70	38	3.84	0.12	SEALCOAT
						2001	1.70	4.70	38	3.27	0.19	NEW CONST OR RECONST (FLEX)
						2002	3.30	4.70	38	4.03	0.07	
						2003	3.40	4.70	44	4.07	0.10	
						2004	3.40	4.70	44	4.07	0.12	
						2005	3.40	4.70	44	4.07	0.09	
						2006	3.40	4.70	44	4.07	0.16	
1	U.S.-2	001590	019.900	021.812	N	1997	3.30	5.00	33	4.19	0.12	
						1998	3.30	5.00	33	4.18	0.18	
						1999	3.30	5.00	38	4.18	0.20	
						*2000	3.30	5.00	38	4.18	0.21	
						2001	3.90	5.00	43	4.47	0.34	NEW CONST OR RECONST (FLEX)
						2002	4.00	5.00	43	4.52	0.13	
						2003	4.10	5.00	44	4.56	0.15	
						2004	4.10	5.00	44	4.56	0.16	
						2005	4.10	5.00	44	4.56	0.16	
						2006	4.00	5.00	44	4.52	0.20	

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT  
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----  
FINAL INDEX REPORT FOR 1997-2006

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT		REMARKS	
										INDEX	DEPTH		
1	U.S.-2	001590	021.831	025.000	N	1997	3.30	5.00	33	4.19	0.12		
						1998	3.30	5.00	33	4.18	0.18		
						1999	3.30	5.00	38	4.18	0.20		
						*2000	3.30	5.00	38	4.18	0.21		
						2001	3.90	5.00	37	4.47	0.34	NEW CONST OR RECONST (FLEX)	2001
						2002	4.10	5.00	37	4.56	0.12		
						2003	4.20	5.00	44	4.61	0.15		
						2004	4.20	5.00	44	4.63	0.17		
						2005	4.20	5.00	44	4.63	0.17		
						2006	4.10	5.00	44	4.59	0.19		
1	U.S.-2	001590	025.000	025.400	N	1997	3.30	5.00	33	4.19	0.12		
						1998	3.30	5.00	33	4.18	0.18		
						1999	3.30	5.00	38	4.18	0.20		
						*2000	3.30	5.00	38	4.18	0.21		
						2001	3.30	5.00	32	4.23	0.28		
						2002	3.30	4.00	32	3.68	0.26		
						2003	3.40	3.80	44	3.61	0.32		
						2004	3.40	3.50	44	3.45	0.35		
						2005	3.40	3.50	44	3.45	0.20		
						2006	3.40	3.50	44	3.45	0.21		
1	U.S.-2	001590	025.400	027.075	N	1997	3.10	5.00	25	4.08	0.10	C.R.A.B.S.	1997
						1998	3.10	5.00	25	4.08	0.14		
						1999	2.90	5.00	34	3.98	0.15		
						2000	2.80	4.50	34	3.72	0.17	SEALCOAT	2000
						2001	2.70	4.50	34	3.68	0.20		
						2002	2.70	4.50	34	3.68	0.18		
						2003	2.70	4.50	44	3.68	0.21		
						2004	2.50	3.50	44	3.04	0.22		
						2005	2.40	2.40	44	2.40	0.23		
						2006	2.60	2.40	44	2.49	0.27		
1	U.S.-2	001590	027.075	027.456	N	1997	3.40	5.00	25	4.27	0.10	C.R.A.B.S.	1997
						1998	3.40	5.00	25	4.27	0.15		
						1999	3.30	5.00	25	4.23	0.17		
						2000	3.40	4.60	25	4.05	0.19	SEALCOAT	2000
						2001	3.30	4.60	34	4.00	0.22		
						2002	3.40	4.60	34	4.05	0.24		
						2003	3.40	4.40	44	3.94	0.30		
						2004	3.30	3.80	44	3.57	0.29		
						2005	3.30	2.80	44	3.02	0.34		
						2006	3.30	2.70	44	2.97	0.39		

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT  
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----  
FINAL INDEX REPORT FOR 1997-2006

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT			REMARKS							
										INDEX	DEPTH									
1	U.S.-2	001590	027.456	028.400	N	1997	2.90	5.00	31	4.09	0.14	C.R.A.B.S.	1997							
						1998	3.00	5.00	31	4.13	0.14									
						1999	3.00	5.00	25	4.13	0.18									
						2000	3.10	4.80	25	4.06	0.21	SEALCOAT								
						2001	3.00	4.80	25	4.02	0.25									
						2002	3.10	4.50	25	3.89	0.25									
						2003	3.00	4.20	44	3.68	0.30									
						2004	3.00	4.20	44	3.68	0.30									
						2005	3.10	4.20	44	3.72	0.25									
						2006	3.00	4.20	44	3.68	0.34									
						1	U.S.-2	001590	028.400	028.515	N	1997		2.30	1.80	39	2.01	0.13		2000
												1998		2.80	1.80	39	2.23	0.18		
1999	2.30	1.80	39	2.01	0.19															
2000	2.20	1.80	39	1.97	0.20															
2001	2.60	1.80	25	2.14	0.23															
2002	2.30	1.80	25	2.01	0.20															
2003	2.30	2.50	44	2.41	0.31															
2004	2.30	3.50	44	2.97	0.31															
2005	2.30	3.50	44	2.97	0.27															
2006	2.20	3.50	44	2.93	0.36															
1	U.S.-2	001590	064.350	066.945	N							1997	3.10	3.00	41	3.04	0.20		2004	
												1998	3.10	3.00	41	3.04	0.25			
						1999	3.20	3.00	46	3.09	0.21									
						*2000	3.20	2.90	46	3.04	0.21									
						2001	3.50	5.00	35	4.28	0.18									
						2002	3.40	5.00	35	4.23	0.21									
						2003	3.40	4.90	35	4.18	0.22									
						2004	3.30	4.90	35	4.13	0.20	SEALCOAT								
						2005	3.40	4.90	44	4.18	0.21									
						2006	3.30	4.90	44	4.13	0.23									
						1	U.S.-2	001590	066.945	070.054	N	1997	3.10	3.00	41	3.04	0.20			2001
												1998	3.10	3.00	41	3.04	0.25			
1999	3.20	3.00	46	3.09	0.21															
*2000	3.20	2.90	46	3.04	0.21															
2001	3.30	5.00	31	4.18	0.27							PLANT MIX OVERLAY								
2002	3.70	5.00	31	4.38	0.10															
2003	3.80	5.00	31	4.42	0.09															
2004	3.80	5.00	31	4.42	0.09							SEALCOAT								
2005	3.80	5.00	44	4.42	0.09															
2006	3.70	5.00	44	4.38	0.11															

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT  
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----

FINAL INDEX REPORT FOR 1997-2006

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT		REMARKS
										INDEX	DEPTH	
1	U.S.-2	001590	070.054	071.251	N	1997	3.10	3.00	41	3.04	0.20	
						1998	3.10	3.00	41	3.04	0.25	
						1999	3.20	3.00	46	3.09	0.21	
						*2000	3.20	2.90	46	3.04	0.21	
						2001	3.10	2.90	56	2.99	0.14	
						2002	3.00	5.00	56	4.04	0.14	
						2003	3.00	5.00	56	4.04	0.14	
						2004	3.10	5.00	56	4.09	0.13	
						2005	3.00	5.00	44	4.04	0.13	
						2006	3.00	5.00	44	4.04	0.17	
1	U.S.-2	001590	071.251	076.650	N	1997	3.60	4.50	48	4.07	0.13	
						1998	3.50	4.50	48	4.02	0.12	
						1999	3.50	4.50	54	4.02	0.15	
						2000	3.60	4.50	54	4.07	0.15	
						2001	3.60	4.50	48	4.07	0.15	
						2002	3.40	4.50	48	3.97	0.21	
						2003	3.60	4.50	48	4.07	0.20	
						2004	3.60	4.50	48	4.07	0.20	
						2005	3.60	4.50	44	4.07	0.20	
						2006	3.50	4.50	44	4.02	0.23	
1	U.S.-2	001590	076.650	080.184	N	1997	3.60	4.50	50	4.07	0.12	
						1998	3.50	4.50	50	4.02	0.09	
						1999	3.50	4.50	54	4.02	0.14	
						2000	3.60	4.50	54	4.07	0.14	
						2001	3.60	3.90	49	3.75	0.13	
						2002	3.40	3.90	49	3.66	0.19	
						2003	3.50	3.90	49	3.70	0.18	
						2004	3.50	3.90	49	3.70	0.18	
						2005	3.50	3.90	44	3.70	0.15	
						2006	3.50	3.90	44	3.70	0.25	
1	U.S.-2	016038	014.950	016.030	N	1997	3.70	5.00	33	4.37	0.03	
						1998	3.60	5.00	33	4.33	0.06	
						1999	3.50	5.00	34	4.28	0.07	
						2000	3.60	5.00	34	4.32	0.09	
						2001	3.40	5.00	34	4.23	0.09	
						2002	3.50	5.00	34	4.28	0.08	
						2003	3.50	5.00	44	4.28	0.13	
						2004	3.40	5.00	44	4.23	0.13	
						2005	3.40	5.00	44	4.23	0.11	
						2006	3.40	5.00	44	4.23	0.15	

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT  
 ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----  
FINAL INDEX REPORT FOR 1997-2006

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT		REMARKS						
										INDEX	DEPTH							
1	U.S.-2	016038	017.010	017.830	N	1997	3.50	5.00	33	4.28	0.06							
						1998	3.50	5.00	33	4.28	0.07							
						1999	3.40	5.00	37	4.23	0.10							
						2000	3.40	4.80	37	4.12	0.11							
						2001	3.30	4.80	37	4.08	0.09							
						2002	3.40	4.80	37	4.12	0.08							
						2003	3.40	4.80	44	4.12	0.09							
						2004	3.40	4.80	44	4.12	0.13							
						2005	3.40	4.80	44	4.12	0.10							
						2006	3.30	4.80	44	4.08	0.15							
						1	U.S.-2	016038	019.010	019.370	N	1997	2.90	5.00	33	3.99	0.02	
												1998	3.10	5.00	33	4.09	0.04	
1999	3.10	5.00	39	4.09	0.05													
2000	3.10	5.00	39	4.09	0.08													
2001	3.00	5.00	39	4.04	0.06													
2002	3.30	5.00	39	4.18	0.09													
2003	3.40	5.00	44	4.23	0.08													
2004	3.40	5.00	44	4.23	0.08													
2005	3.40	5.00	44	4.23	0.07													
2006	3.30	4.30	44	3.82	0.07													
1	S.H.-3	001800	048.236	052.459	N							1997	2.70	2.50	41	2.58	0.34	
												1998	2.80	2.50	41	2.63	0.36	
						1999	3.00	5.00	57	4.10	0.08	PLANT MIX OVERLAY	1999					
						2000	3.90	5.00	57	4.50	0.04							
						2001	3.90	4.80	57	4.39	0.05							
						2002	3.70	4.80	57	4.31	0.07							
						2003	3.60	4.80	49	4.27	0.11							
						2004	3.50	3.90	49	3.72	0.14							
						2005	3.40	3.90	44	3.68	0.15							
						2006	3.20	3.80	44	3.53	0.20							
						1	S.H.-3	001800	052.459	058.355	N	1997	2.50	2.50	38	2.50	0.34	
												*1998	2.50	2.50	38	2.50	0.40	
1999	3.80	5.00	65	4.47	0.05							PLANT MIX OVERLAY	1999					
2000	3.70	5.00	65	4.42	0.05													
2001	3.70	5.00	65	4.42	0.05													
2002	3.70	5.00	65	4.42	0.06													
2003	3.60	5.00	49	4.38	0.07													
2004	3.60	4.80	49	4.27	0.09							SEALCOAT	2004					
2005	3.50	4.80	44	4.22	0.09													
2006	3.40	4.80	44	4.18	0.12													

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT  
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----  
FINAL INDEX REPORT FOR 1997-2006

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT		REMARKS						
										INDEX	DEPTH							
1	S.H.-3	001800	058.355	059.756	N	1997	2.50	2.50	39	2.50	0.26							
						*1998	2.30	2.50	39	2.41	0.23							
						1999	3.00	2.50	34	2.71	0.25							
						2000	3.10	2.50	34	2.76	0.32							
						2001	3.10	2.50	34	2.76	0.25							
						2002	3.90	2.50	34	3.11	0.09							
						2003	4.20	5.00	49	4.64	0.08	SEALCOAT						
						2004	4.00	5.00	49	4.56	0.09	2004						
						2005	4.10	5.00	44	4.60	0.09							
						2006	4.10	5.00	44	4.60	0.11							
						1	S.H.-3	001800	059.756	067.648	N	1997	2.80	2.50	37	2.63	0.28	
												1998	2.80	2.50	37	2.63	0.33	
1999	2.80	2.50	37	2.63	0.32													
2000	2.90	2.40	37	2.62	0.32													
2001	3.00	2.40	37	2.66	0.30													
2002	4.20	2.40	37	3.20	0.07													
2003	4.20	5.00	49	4.64	0.08													
2004	4.00	5.00	49	4.55	0.11							SEALCOAT						
2005	4.10	5.00	44	4.59	0.10							2004						
2006	4.10	5.00	44	4.59	0.13													
1	S.H.-3	001800	067.648	070.165	N							1997	3.20	5.00	51	4.19	0.10	
												1998	3.20	5.00	51	4.19	0.09	
						1999	3.10	5.00	39	4.15	0.10							
						*2000	3.10	5.00	39	4.15	0.13							
						2001	3.20	5.00	39	4.19	0.11							
						2002	3.10	5.00	39	4.15	0.18							
						2003	3.10	4.00	49	3.59	0.18							
						2004	3.00	4.00	49	3.55	0.20	SEALCOAT						
						2005	3.00	4.00	44	3.55	0.20	2004						
						2006	2.30	5.00	44	3.79	0.31							
						1	S.H.-3	001800	070.055	073.200	N	1997	3.20	5.00	51	4.19	0.10	
												1998	3.20	5.00	51	4.19	0.09	
1999	3.10	5.00	39	4.15	0.10													
*2000	3.10	5.00	39	4.15	0.13													
2001	3.20	5.00	39	4.19	0.11													
2002	3.10	5.00	39	4.15	0.18													
2003	3.10	4.00	49	3.59	0.18													
2004	3.00	4.00	49	3.55	0.20													
2005	3.00	4.00	44	3.55	0.20													
2006	2.90	4.00	44	3.50	0.23													

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT  
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----  
FINAL INDEX REPORT FOR 1997-2006

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT		REMARKS
										INDEX	DEPTH	
1	S.H.-3	001800	073.200	073.400	N	1997	3.20	5.00	51	4.19	0.10	
						1998	3.20	5.00	51	4.19	0.09	
						1999	3.10	5.00	39	4.15	0.10	
						*2000	3.10	5.00	39	4.15	0.13	
						2001	2.80	5.00	39	4.01	0.17	PLANT MIX OVERLAY
						2002	3.00	5.00	39	4.10	0.16	
						2003	2.90	5.00	49	4.05	0.14	
						2004	2.80	5.00	49	4.01	0.12	
						2005	2.90	5.00	44	4.06	0.16	
						2006	2.80	5.00	44	4.01	0.15	
1	S.H.-3	001800	073.400	074.500	N	1997	2.30	2.00	46	2.13	0.20	
						1998	2.50	2.00	46	2.22	0.21	
						1999	2.40	2.00	31	2.17	0.22	
						2000	2.50	2.00	31	2.22	0.23	
						2001	3.40	5.00	31	4.28	0.16	PLANT MIX OVERLAY
						2002	2.80	5.00	31	4.01	0.21	
						2003	2.80	5.00	49	4.01	0.22	
						2004	2.70	5.00	49	3.97	0.16	
						2005	2.80	5.00	44	4.01	0.18	
						2006	2.80	5.00	44	4.01	0.23	
1	S.H.-3	001800	074.500	076.000	N	1997	2.70	2.30	37	2.47	0.27	
						1998	2.80	2.30	37	2.52	0.33	
						1999	2.80	2.30	37	2.52	0.34	
						*2000	2.80	2.30	37	2.52	0.34	
						2001	3.60	5.00	36	4.37	0.06	PLANT MIX OVERLAY
						2002	3.40	5.00	36	4.28	0.09	
						2003	3.40	5.00	49	4.28	0.11	
						2004	3.40	5.00	49	4.28	0.12	
						2005	3.40	5.00	44	4.28	0.13	
						2006	3.40	5.00	44	4.28	0.14	
1	S.H.-3	001800	076.000	076.882	N	1997	2.70	2.30	37	2.47	0.27	
						1998	2.80	2.30	37	2.52	0.33	
						1999	2.80	2.30	37	2.52	0.34	
						*2000	2.80	2.30	37	2.52	0.34	
						2001	3.50	2.40	38	2.89	0.18	
						2002	3.40	2.40	38	2.84	0.21	
						2003	3.40	2.40	49	2.84	0.24	
						*2004	3.40	2.40	49	2.84	0.26	
						2005	3.60	2.40	44	2.93	0.12	
						2006	3.50	2.40	44	2.89	0.13	

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT  
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----  
FINAL INDEX REPORT FOR 1997-2006

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT		REMARKS						
										INDEX	DEPTH							
1	S.H.-3	001800	076.882	084.201	N	1997	2.40	2.70	30	2.56	0.26							
						1998	2.70	2.70	30	2.70	0.20							
						1999	2.70	2.70	29	2.70	0.19							
						2000	2.70	2.70	29	2.70	0.21							
						2001	2.70	2.70	29	2.70	0.20							
						2002	2.70	2.70	29	2.70	0.19							
						2003	2.70	2.70	49	2.70	0.21							
						*2004	2.50	2.70	49	2.61	0.24							
						2005	3.10	5.00	44	4.13	0.28	PLANT MIX OVERLAY	2005					
						2006	4.10	5.00	44	4.59	0.03	PLANT MIX OVERLAY	2006					
						1	S.H.-3	001800	084.201	084.331	N	1997	2.80	3.50	27	3.18	0.25	
												1998	2.80	3.50	27	3.18	0.37	
1999	2.80	3.50	34	3.18	0.43													
2000	2.80	3.50	34	3.18	0.50													
2001	2.80	3.50	34	3.18	0.39													
2002	3.00	3.50	34	3.27	0.38													
2003	3.00	3.50	49	3.27	0.36													
*2004	3.00	3.10	49	3.05	0.33													
2005	4.00	3.10	44	3.48	0.14													
2006	4.00	3.10	44	3.48	0.17													
1	S.H.-3	001800	084.331	084.683	N							1997	1.60	4.00	27	2.99	0.25	
												1998	1.60	4.00	27	2.99	0.27	
						1999	1.50	4.00	34	2.95	0.23							
						2000	1.50	3.50	34	2.66	0.20	SEALCOAT	2000					
						2001	1.60	3.50	34	2.70	0.20							
						2002	1.60	3.50	34	2.70	0.23							
						2003	1.60	2.40	49	2.06	0.17							
						2004	1.40	2.00	49	1.74	0.18							
						2005	1.60	1.90	44	1.77	0.24							
						2006	1.20	1.90	44	1.60	0.24							
						1	S.H.-3	001800	084.683	086.383	N	1997	1.70	3.00	38	2.41	0.26	
												1998	1.90	3.00	38	2.50	0.23	
*1999	1.80	3.00	38	2.46	0.11							NEW CONST OR RECONST (FLEX)	1999					
2000	3.60	5.00	35	4.37	0.10							SEALCOAT	2000					
2001	3.40	5.00	35	4.28	0.13													
*2002	3.40	5.00	35	4.28	0.15													
2003	2.90	5.00	49	4.05	0.16													
2004	2.80	5.00	49	4.01	0.20													
2005	2.90	5.00	44	4.05	0.22													
2006	2.90	5.00	44	4.05	0.22													

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT  
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----  
FINAL INDEX REPORT FOR 1997-2006

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT		REMARKS	
										INDEX	DEPTH		
1	S.H.-3	001800	086.963	087.060	N	1997	1.90	1.90	33	1.90	0.25		
						1998	2.00	1.90	33	1.94	0.26		
						*1999	1.90	1.90	42	1.90	0.28	NEW CONST OR RECONST (FLEX)	1999
						*2000	3.20	5.00	35	4.19	0.13	SEALCOAT	2000
						2001	2.50	5.00	35	3.87	0.10		
						2002	2.50	5.00	35	3.87	0.19		
						2003	2.70	5.00	49	3.96	0.15		
						2004	2.40	5.00	49	3.83	0.20		
						2005	2.80	5.00	44	4.01	0.21		
						2006	2.30	5.00	44	3.78	0.24		
1	S.H.-3	001800	087.414	089.050	N	1997	1.90	1.90	33	1.90	0.25		
						1998	2.00	1.90	33	1.94	0.26		
						*1999	1.90	1.90	42	1.90	0.28		
						2000	2.60	1.90	42	2.21	0.24	SEALCOAT	2000
						2001	2.50	1.90	42	2.16	0.25		
						2002	2.80	1.90	42	2.30	0.28		
						2003	2.50	1.90	49	2.16	0.28		
						2004	2.50	1.80	49	2.11	0.31		
						2005	2.70	1.80	44	2.20	0.31		
						2006	2.60	3.00	44	2.82	0.40		
1	S.H.-3	001800	089.050	090.786	N	1997	2.60	2.30	37	2.43	0.16		
						1998	2.60	2.30	37	2.43	0.17		
						1999	2.40	2.30	48	2.34	0.20		
						2000	2.60	2.30	48	2.43	0.21		
						2001	2.60	2.30	48	2.43	0.20		
						2002	2.70	2.30	48	2.47	0.23		
						2003	2.70	2.30	49	2.47	0.22		
						2004	2.70	2.30	49	2.47	0.29		
						2005	2.80	2.30	44	2.52	0.27		
						2006	2.80	2.10	44	2.41	0.27		
1	S.H.-3	001800	090.786	093.050	N	*1997	2.60	1.90	46	2.21	0.15		
						1998	2.40	1.90	41	2.12	0.19		
						1999	2.40	1.90	43	2.12	0.21		
						2000	2.50	1.90	43	2.16	0.23		
						2001	2.60	1.90	43	2.21	0.19		
						2002	2.80	1.90	43	2.30	0.21		
						2003	2.70	1.90	49	2.25	0.25		
						2004	2.90	1.90	49	2.34	0.26		
						2005	2.80	2.60	44	2.68	0.28		
						2006	2.70	2.30	44	2.47	0.29		

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT  
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----  
FINAL INDEX REPORT FOR 1997-2006

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT		REMARKS
										INDEX	DEPTH	
1	S.H.-3	001800	093.050	095.628	N	1997	2.10	1.60	40	1.82	0.19	
						1998	2.20	1.60	40	1.86	0.22	
						1999	1.90	1.60	42	1.73	0.27	
						2000	2.60	1.60	42	2.04	0.23	SEALCOAT
						2001	2.40	1.60	42	1.95	0.23	
						2002	2.50	1.60	42	2.00	0.25	
						2003	2.40	1.60	49	1.95	0.28	
						2004	2.60	2.30	49	2.43	0.31	
						2005	2.90	3.00	44	2.95	0.36	
						2006	2.70	3.00	44	2.86	0.37	
1	S.H.-3	001800	095.730	095.880	N	1997	2.10	1.20	40	1.60	0.28	
						*1998	2.00	1.20	40	1.55	0.30	
						*1999	1.90	1.20	45	1.51	0.31	
						2000	3.00	1.60	42	2.22	0.09	SEALCOAT
						2001	3.40	1.60	42	2.40	0.08	
						2002	3.40	5.00	42	4.28	0.08	
						2003	3.40	5.00	49	4.28	0.08	
						2004	3.40	5.00	49	4.28	0.08	
						2005	2.90	5.00	44	4.06	0.36	
						2006	2.70	5.00	44	3.97	0.37	
1	S.H.-3	001800	095.880	103.240	N	1997	2.10	1.20	40	1.60	0.28	
						*1998	2.00	1.20	40	1.55	0.30	
						*1999	1.90	1.20	45	1.51	0.31	C.R.A.B.S.
						2000	3.70	5.00	45	4.42	0.07	SEALCOAT
						2001	3.50	5.00	45	4.33	0.07	
						2002	3.40	5.00	45	4.28	0.08	
						2003	3.40	5.00	49	4.28	0.09	
						2004	3.40	5.00	49	4.28	0.10	
						2005	3.40	5.00	44	4.28	0.11	
						2006	3.40	5.00	44	4.28	0.13	
1	S.H.-3	001800	103.240	109.362	N	1997	2.10	1.20	40	1.60	0.28	
						*1998	2.00	1.20	40	1.55	0.30	
						1999	2.80	5.00	46	4.01	0.15	
						2000	2.90	5.00	46	4.06	0.15	SEALCOAT
						2001	2.80	5.00	46	4.01	0.11	
						2002	2.90	5.00	46	4.06	0.15	
						2003	2.80	5.00	49	4.01	0.18	
						2004	2.80	5.00	49	4.01	0.18	
						2005	2.80	4.40	44	3.68	0.20	
						2006	2.80	4.40	44	3.68	0.20	

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT  
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----  
FINAL INDEX REPORT FOR 1997-2006

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL INDEX	RUT DEPTH	REMARKS
1	S.H.-3	001800	109.362	117.680	N	1997	3.10	5.00	42	4.15	0.13	
						1998	3.10	5.00	42	4.15	0.17	
						1999	3.00	5.00	45	4.10	0.19	
						2000	3.10	3.20	45	3.15	0.19	SEALCOAT
						2001	2.80	3.20	45	3.02	0.12	
						2002	2.90	3.20	45	3.06	0.17	
						2003	2.80	3.20	49	3.02	0.19	
						2004	3.00	2.90	49	2.94	0.25	
						2005	3.00	2.90	44	2.94	0.25	
						2006	3.00	2.90	44	2.94	0.26	
1	S.H.-3	025275	086.383	086.868	N	2000	3.80		35	3.80	0.11	
						2001	3.50	5.00	35	4.37	0.12	
						2002	3.70	5.00	35	4.45	0.16	
						2003	3.70	5.00	49	4.45	0.15	
						2004	3.70	5.00	49	4.45	0.19	
						2005	3.70	5.00	44	4.45	0.23	
						2006	3.70	5.00	44	4.45	0.24	
1	S.H.-3	025275	087.060	087.232	N	2000	3.30		35	3.30	0.07	
						2001	3.10	5.00	35	4.21	0.18	
						2002	2.60	5.00	35	4.00	0.16	
						2003	2.90	5.00	49	4.12	0.19	
						2004	3.00	5.00	49	4.16	0.14	
						2005	2.90	5.00	44	4.12	0.14	
						2006	2.50	5.00	44	3.96	0.16	
1	S.H.-4	001780	001.110	001.270	N	1997	1.90	2.50	46	2.27	0.13	
						1998	1.90	2.50	46	2.27	0.15	
						1999	2.00	2.40	46	2.24	0.16	
						2000	2.00	2.40	46	2.24	0.16	
						2001	4.00	5.00	45	4.62	0.14	PLANT MIX OVERLAY
						2002	2.10	5.00	45	3.90	0.11	
						2003	2.20	5.00	49	3.94	0.09	
						2004	2.30	5.00	49	3.98	0.13	
						2005	2.30	5.00	44	3.98	0.12	
						2006	2.20	5.00	44	3.94	0.14	
1	S.H.-4	001780	001.270	001.647	N	1997	2.60	1.50	54	1.91	0.22	
						1998	2.50	1.50	54	1.87	0.21	
						1999	2.20	1.50	59	1.76	0.18	
						2000	2.40	1.50	59	1.83	0.20	
						2001	3.80	5.00	34	4.54	0.22	PLANT MIX OVERLAY
						2002	2.90	5.00	34	4.20	0.12	
						2003	2.90	5.00	34	4.20	0.12	
						2004	2.80	5.00	34	4.16	0.15	
						2005	2.80	5.00	44	4.17	0.13	
						2006	2.80	5.00	44	4.17	0.14	

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT  
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----  
FINAL INDEX REPORT FOR 1997-2006

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT		REMARKS
										INDEX	DEPTH	
1	S.H.-4	001780	001.647	005.324	N	1997	2.30	1.20	53	1.65	0.19	
						1998	2.40	1.20	53	1.69	0.18	
						1999	2.30	1.20	64	1.65	0.17	
						*2000	2.50	1.20	64	1.72	0.18	PLANT MIX OVERLAY
						2001	3.40	4.40	33	3.98	0.20	
						2002	3.20	4.40	33	3.90	0.14	
						2003	3.20	4.40	33	3.90	0.10	
						2004	3.20	4.40	33	3.90	0.11	
						2005	3.20	4.40	44	3.90	0.10	
						2006	3.10	4.40	44	3.86	0.10	
1	S.H.-4	001780	005.335	005.720	N	1997	2.30	1.20	53	1.65	0.19	
						1998	2.40	1.20	53	1.69	0.18	
						1999	2.30	1.20	64	1.65	0.17	
						*2000	2.50	1.20	64	1.72	0.18	PLANT MIX OVERLAY
						2001	3.20	4.40	40	3.91	0.15	
						2002	2.90	4.40	40	3.79	0.12	
						*2003	2.40	4.40	40	3.59	0.07	
						2004	3.00	4.40	37	3.82	0.14	
						2005	3.00	4.40	44	3.82	0.13	
						2006	3.00	4.40	44	3.82	0.12	
1	S.H.-4	001780	005.720	006.110	N	1997	2.30	1.20	53	1.65	0.19	
						1998	2.40	1.20	53	1.69	0.18	
						1999	2.30	1.20	64	1.65	0.17	
						*2000	2.50	1.20	64	1.72	0.18	PLANT MIX OVERLAY
						2001	3.20	4.40	40	3.91	0.15	
						2002	2.90	4.40	40	3.79	0.12	
						*2003	2.40	4.40	40	3.59	0.07	
						2004	4.00	5.00	57	4.59	0.22	NEW CONST OR RECONST (FLEX)
						2005	3.00	5.00	44	4.19	0.07	
						2006	3.00	5.00	44	4.19	0.06	
1	S.H.-4	001780	006.110	007.380	N	1997	2.30	1.20	53	1.65	0.19	
						1998	2.40	1.20	53	1.69	0.18	
						1999	2.30	1.20	64	1.65	0.17	
						*2000	2.50	1.20	64	1.72	0.18	PLANT MIX OVERLAY
						2001	3.20	4.40	40	3.91	0.15	
						2002	2.90	4.40	40	3.79	0.12	
						*2003	2.40	4.40	40	3.59	0.07	
						2004	2.50	4.40	36	3.63	0.05	
						2005	2.40	4.40	44	3.59	0.04	
						2006	2.40	4.40	44	3.59	0.05	

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT  
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----  
FINAL INDEX REPORT FOR 1997-2006

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL INDEX	RUT DEPTH	REMARKS
1	S.H.-5	001820	000.000	000.490	N	*1997	2.50	2.10	43	2.27	0.18	
						1998	2.20	2.10	49	2.14	0.45	
						1999	2.10	2.10	49	2.10	0.35	
						2000	2.30	2.10	49	2.18	0.37	
						2001	2.30	2.10	40	2.18	0.37	
						2002	2.70	2.10	40	2.36	0.28	
						2003	2.70	2.10	40	2.36	0.31	
						2004	2.50	2.10	36	2.27	0.34	
						2005	2.60	2.10	44	2.32	0.31	
						2006	2.50	2.10	44	2.27	0.36	
1	S.H.-5	001820	000.490	001.132	N	*1997	2.50	2.10	43	2.27	0.18	
						1998	2.30	5.00	25	3.79	0.14	
						1999	2.30	5.00	45	3.79	0.14	
						2000	2.40	5.00	45	3.83	0.15	
						2001	2.40	5.00	45	3.83	0.17	
						2002	2.30	5.00	45	3.79	0.16	
						2003	2.30	5.00	40	3.79	0.15	
						2004	2.20	5.00	36	3.74	0.18	SEALCOAT
						2005	2.30	5.00	44	3.79	0.16	
						2006	2.30	5.00	44	3.79	0.22	
1	S.H.-5	001820	001.132	003.566	N	1997	3.00	5.00	31	4.10	0.10	
						1998	3.00	5.00	31	4.10	0.09	
						1999	2.90	5.00	48	4.06	0.10	
						2000	3.00	5.00	48	4.10	0.10	
						2001	3.00	5.00	48	4.10	0.12	
						2002	2.90	5.00	48	4.06	0.13	
						2003	3.00	5.00	40	4.10	0.16	
						2004	3.00	5.00	36	4.10	0.13	SEALCOAT
						2005	2.90	5.00	44	4.06	0.15	
						2006	2.80	5.00	44	4.01	0.17	
1	S.H.-5	001820	003.566	004.400	N	1997	3.10	5.00	29	4.15	0.12	
						1998	3.10	5.00	29	4.15	0.12	
						1999	3.20	5.00	57	4.19	0.14	
						2000	3.10	5.00	57	4.15	0.15	
						2001	3.10	5.00	57	4.15	0.17	
						2002	3.10	5.00	57	4.15	0.19	
						2003	3.00	5.00	40	4.10	0.21	
						2004	2.90	5.00	36	4.06	0.19	SEALCOAT
						2005	3.00	5.00	44	4.10	0.22	
						2006	3.00	5.00	44	4.10	0.26	

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT  
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----  
FINAL INDEX REPORT FOR 1997-2006

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT		REMARKS
										INDEX	DEPTH	
1	S.H.-5	001820	004.420	004.550	N	1997	3.40	5.00	48	4.28	0.10	
						1998	3.30	5.00	48	4.23	0.12	
						1999	3.30	5.00	51	4.23	0.11	
						2000	3.40	5.00	51	4.28	0.10	
						2001	3.40	5.00	51	4.28	0.14	
						2002	3.40	5.00	51	4.28	0.13	
						2003	3.40	5.00	40	4.28	0.17	SEALCOAT
						2004	3.40	5.00	36	4.28	0.13	
						2005	3.00	5.00	44	4.10	0.22	
						2006	3.00	5.00	44	4.10	0.26	
1	S.H.-5	001820	004.832	005.856	N	1997	2.50	5.00	32	3.88	0.25	
						1998	2.60	4.80	32	3.81	0.26	
						1999	2.30	4.80	35	3.68	0.29	
						2000	2.60	4.80	35	3.81	0.28	
						2001	2.50	4.80	35	3.77	0.27	
						2002	2.70	4.80	35	3.86	0.18	
						2003	2.60	4.00	40	3.37	0.28	
						2004	2.70	4.00	36	3.41	0.22	SEALCOAT
						2005	2.70	4.00	44	3.41	0.21	
						2006	2.70	4.00	44	3.41	0.23	
1	S.H.-5	001820	005.856	007.895	N	1997	2.80	5.00	36	4.01	0.13	
						*1998	2.70	3.10	36	2.92	0.16	
						1999	2.10	3.10	46	2.65	0.29	
						2000	2.40	3.10	46	2.78	0.30	
						2001	2.30	3.10	46	2.74	0.29	
						2002	2.50	3.10	46	2.83	0.22	
						2003	2.60	3.10	40	2.87	0.26	
						2004	2.50	3.10	36	2.83	0.21	SEALCOAT
						2005	2.60	3.00	44	2.82	0.23	
						2006	2.50	3.00	44	2.77	0.24	
1	S.H.-5	001820	007.895	011.262	N	1997	2.80	5.00	36	4.01	0.13	
						*1998	2.70	3.10	36	2.92	0.16	
						1999	2.90	5.00	45	4.06	0.12	
						2000	2.90	5.00	45	4.06	0.13	
						2001	3.00	5.00	45	4.10	0.13	
						2002	3.20	5.00	45	4.19	0.13	
						2003	3.20	5.00	40	4.19	0.14	
						2004	3.10	5.00	36	4.15	0.13	SEALCOAT
						2005	3.10	5.00	44	4.15	0.12	
						2006	3.10	5.00	44	4.15	0.13	

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT  
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----  
FINAL INDEX REPORT FOR 1997-2006

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT		REMARKS
										INDEX	DEPTH	
1	S.H.-5	001820	011.262	013.971	N	1997	3.40	5.00	34	4.28	0.07	
						1998	3.40	4.80	34	4.17	0.09	
						1999	3.30	4.80	35	4.12	0.11	
						2000	3.40	4.80	35	4.17	0.11	
						2001	3.40	4.80	35	4.17	0.14	
						2002	3.40	4.80	35	4.17	0.13	
						2003	3.30	4.80	40	4.12	0.16	
						2004	3.20	4.80	36	4.08	0.15	SEALCOAT
						2005	3.20	4.80	44	4.08	0.16	
						2006	3.20	4.80	44	4.08	0.19	
1	S.H.-5	001820	013.971	017.235	N	1997	3.40	5.00	35	4.28	0.08	
						1998	3.30	5.00	35	4.23	0.11	
						1999	3.20	5.00	40	4.19	0.10	
						2000	3.30	5.00	40	4.23	0.12	
						2001	3.30	5.00	40	4.23	0.15	
						2002	3.30	5.00	40	4.23	0.16	
						2003	3.30	5.00	40	4.23	0.18	
						2004	3.20	5.00	36	4.19	0.18	SEALCOAT
						2005	3.30	5.00	44	4.23	0.18	
						2006	3.20	5.00	44	4.19	0.21	
1	S.H.-5	001820	017.235	017.897	N	1997	3.20	5.00	29	4.24	0.10	
						1998	3.10	5.00	29	4.20	0.15	
						1999	3.00	5.00	33	4.16	0.16	
						2000	3.00	5.00	33	4.16	0.18	
						2001	3.10	5.00	33	4.20	0.22	
						2002	3.00	4.00	33	3.58	0.26	
						2003	3.00	4.00	40	3.58	0.30	
						2004	2.90	4.00	36	3.54	0.27	SEALCOAT
						2005	3.00	4.00	44	3.58	0.28	
						2006	3.00	4.00	44	3.58	0.29	
1	S.H.-5	001820	017.897	018.670	N	1997	2.40	4.50	32	3.60	0.23	
						1998	2.30	3.70	32	3.10	0.29	
						1999	2.30	2.90	40	2.64	0.30	
						2000	2.30	2.50	40	2.41	0.32	
						2001	2.10	2.50	40	2.32	0.34	
						2002	2.60	2.50	40	2.54	0.33	
						2003	2.60	2.40	40	2.48	0.33	
						2004	2.70	2.40	36	2.52	0.28	
						2005	2.60	2.40	44	2.48	0.34	
						2006	2.60	2.40	44	2.48	0.33	

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT  
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----  
FINAL INDEX REPORT FOR 1997-2006

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT		REMARKS
										INDEX	DEPTH	
1	S.H.-5	001820	018.670	018.925	N	1997	1.80	4.50	34	3.34	0.18	
						1998	1.90	4.10	34	3.16	0.10	
						1999	1.50	3.90	34	2.87	0.21	
						2000	1.50	3.90	34	2.87	0.23	
						2001	1.60	2.70	40	2.23	0.30	
						2002	1.90	2.70	40	2.35	0.35	
						2003	2.20	5.00	40	3.80	0.16	
						2004	2.40	5.00	36	3.89	0.11	
						2005	2.40	5.00	44	3.89	0.14	
						2006	2.40	5.00	44	3.89	0.24	
1	S.H.-5	001820	018.925	019.140	N	1997	1.10	4.50	42	3.04	0.22	
						1998	1.00	4.50	42	3.00	0.21	
						1999	1.00	3.90	40	2.65	0.32	
						2000	1.00	3.90	40	2.65	0.31	
						2001	1.00	3.90	40	2.65	0.31	
						2002	0.90	3.90	40	2.61	0.31	
						2003	2.10	5.00	40	3.75	0.09	
						2004	2.00	5.00	36	3.71	0.13	
						2005	2.00	4.40	44	3.37	0.15	
						2006	1.70	4.40	44	3.24	0.17	
1	S.H.-5	015998	004.550	004.820	N	1997	2.50	5.00	48	3.88	0.12	
						1998	2.40	5.00	48	3.83	0.11	
						1999	2.40	5.00	51	3.83	0.22	
						2000	2.50	5.00	51	3.88	0.23	
						2001	2.50	5.00	51	3.88	0.24	
						2002	2.80	5.00	51	4.01	0.22	
						2003	2.80	4.80	40	3.90	0.30	
						2004	2.90	4.80	36	3.95	0.20	
						2005	2.90	4.80	44	3.95	0.26	
						2006	2.90	4.00	44	3.50	0.29	
1	S.H.-6	001850	020.286	026.010	N	1997	2.80	5.00	24	4.11	0.09	
						1998	2.80	5.00	24	4.11	0.09	
						1999	3.40	5.00	37	4.35	0.07	
						2000	3.40	5.00	37	4.35	0.07	
						2001	3.50	5.00	37	4.39	0.08	
						2002	3.40	4.50	37	4.05	0.09	
						2003	3.40	4.30	40	3.93	0.10	
						*2004	3.30	4.30	36	3.89	0.11	
						2005	3.30	5.00	44	4.31	0.07	C.R.A.B.S.
						2006	3.30	5.00	44	4.31	0.07	2005

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT  
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----  
FINAL INDEX REPORT FOR 1997-2006

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT		REMARKS						
										INDEX	DEPTH							
1	S.H.-6	001850	026.010	035.055	N	1997	3.50	5.00	40	4.39	0.06							
						*1998	3.50	5.00	40	4.39	0.06							
						1999	3.40	5.00	37	4.35	0.07							
						2000	3.40	5.00	37	4.35	0.07							
						2001	3.50	5.00	37	4.39	0.08							
						2002	3.40	4.50	37	4.05	0.09							
						2003	3.40	4.30	40	3.93	0.10							
						*2004	3.30	4.30	36	3.89	0.11							
						2005	3.40	4.30	44	3.93	0.12							
						2006	3.40	4.30	44	3.93	0.13							
						1	S.H.-41	001630	000.000	000.446	N	1997	2.00	3.50	24	2.84	0.19	
												1998	2.00	3.50	24	2.90	0.21	
1999	1.90	3.50	54	2.85	0.23													
2000	2.10	3.50	54	2.89	0.30													
2001	2.10	3.50	54	2.94	0.21													
2002	2.00	3.50	54	2.84	0.29													
2003	2.20	3.50	40	2.93	0.25													
2004	2.50	3.50	36	3.06	0.27													
2005	2.30	3.50	44	2.97	0.26													
2006	2.30	3.00	44	2.68	0.23													
1	S.H.-41	001630	000.446	000.650	N							*1997	3.20	5.00	39	4.17	0.08	
												1998	2.60	4.00	40	3.39	0.26	
						1999	2.10	4.00	40	3.17	0.40							
						2000	2.50	4.00	40	3.34	0.40							
						2001	2.80	4.00	40	3.47	0.38							
						2002	2.40	4.00	40	3.25	0.41							
						2003	2.30	4.00	40	3.20	0.25							
						2004	2.20	4.00	36	3.15	0.18							
						2005	2.10	4.00	44	3.10	0.22							
						2006	2.00	4.00	44	3.06	0.21							
						1	S.H.-41	001630	000.650	006.463	N	*1997	3.20	5.00	39	4.17	0.08	PLANT MIX OVERLAY
												1998	3.30	5.00	38	4.22	0.13	1997
1999	3.30	5.00	55	4.22	0.15													
2000	3.20	5.00	55	4.12	0.18													
2001	3.30	5.00	55	4.17	0.20													
2002	3.30	5.00	55	4.16	0.27													
2003	3.20	5.00	40	4.12	0.31													
2004	3.20	5.00	36	4.12	0.28													
2005	3.20	5.00	44	4.12	0.31													
2006	3.20	5.00	44	4.12	0.39													

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT  
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----  
FINAL INDEX REPORT FOR 1997-2006

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT		REMARKS	
										INDEX	DEPTH		
1	S.H.-41	001630	006.463	006.768	N	1997	3.40	5.00	41	4.31	0.02	PLANT MIX OVERLAY	1997
						1998	3.40	5.00	41	4.31	0.11		
						1999	3.40	5.00	55	4.31	0.11		
						2000	3.40	5.00	55	4.26	0.20		
						2001	3.50	5.00	55	4.31	0.18		
						2002	3.50	5.00	55	4.30	0.27		
						2003	3.40	5.00	40	4.26	0.30		
						2004	3.40	5.00	36	4.26	0.30		
						2005	3.40	5.00	44	4.26	0.29		
						2006	3.40	5.00	44	4.26	0.34		
1	S.H.-41	001630	006.768	007.290	N	1997	3.20	5.00	47	4.23	0.02	PLANT MIX OVERLAY	1997
						1998	3.20	5.00	47	4.23	0.07		
						1999	3.20	5.00	65	4.23	0.09		
						2000	3.20	5.00	65	4.17	0.15		
						2001	3.30	5.00	65	4.22	0.18		
						2002	3.30	5.00	65	4.22	0.24		
						2003	3.20	5.00	40	4.17	0.31		
						2004	3.20	5.00	36	4.17	0.35		
						2005	3.20	5.00	44	4.17	0.35		
						2006	3.20	5.00	44	4.17	0.36		
1	S.H.-41	001630	007.290	007.720	N	*1997	2.90	5.00	47	4.10	0.06	PLANT MIX OVERLAY	1997
						1998	2.90	5.00	47	4.09	0.10		
						1999	2.90	5.00	47	4.10	0.12		
						2000	2.80	5.00	47	3.99	0.14		
						2001	3.00	5.00	65	4.08	0.15		
						2002	3.10	5.00	65	4.13	0.21		
						2003	2.80	5.00	40	3.99	0.20		
						2004	2.90	5.00	36	4.03	0.24		
						2005	2.90	5.00	44	4.03	0.22		
						2006	2.90	5.00	44	4.03	0.25		
1	S.H.-41	001630	007.900	008.250	N	1997	3.20	5.00	49	4.17	0.13		
						1998	3.30	5.00	49	4.22	0.13		
						1999	3.30	5.00	58	4.22	0.15		
						2000	3.50	4.50	58	4.04	0.16		
						2001	3.60	4.50	58	4.08	0.11		
						2002	3.20	4.50	58	3.90	0.13		
						2003	3.10	4.50	40	3.85	0.17		
						2004	2.90	4.50	36	3.76	0.15		
						2005	3.30	4.40	44	3.89	0.12		
						2006	3.20	4.40	44	3.84	0.09		

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT  
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----  
FINAL INDEX REPORT FOR 1997-2006

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT		REMARKS
										INDEX	DEPTH	
1	S.H.-41	001630	008.250	014.393	N	1997	3.60	5.00	35	4.36	0.13	
						1998	3.60	5.00	35	4.36	0.17	
						1999	3.60	5.00	40	4.36	0.20	
						2000	3.60	4.50	40	4.09	0.20	
						2001	3.60	4.50	40	4.09	0.19	
						2002	3.50	4.50	40	4.04	0.23	
						2003	3.50	4.50	40	4.04	0.26	SEALCOAT
						2004	3.40	4.20	36	3.83	0.21	
						2005	3.40	4.20	44	3.83	0.19	
						2006	3.40	4.20	44	3.83	0.27	
1	S.H.-41	001630	014.393	018.130	N	1997	3.60	5.00	36	4.36	0.10	
						1998	3.60	4.70	36	4.20	0.13	
						1999	3.50	4.70	44	4.15	0.17	
						2000	3.50	4.70	44	4.15	0.17	
						2001	3.60	4.70	44	4.20	0.16	
						2002	3.50	4.70	44	4.15	0.19	
						2003	3.50	3.00	40	3.22	0.21	
						2004	3.40	3.00	36	3.18	0.19	SEALCOAT
						2005	3.40	3.00	44	3.18	0.17	
						2006	3.40	2.90	44	3.12	0.24	
1	S.H.-41	001630	018.130	019.380	N	1997	3.70	4.80	33	4.34	0.14	
						1998	3.70	4.80	33	4.34	0.19	
						1999	3.60	4.80	41	4.29	0.21	
						2000	3.50	4.80	41	4.21	0.22	
						2001	3.50	4.10	41	3.84	0.20	
						2002	3.50	4.10	41	3.84	0.27	
						2003	3.40	4.00	40	3.74	0.28	
						*2004	3.30	3.70	36	3.53	0.27	SEALCOAT
						2005	3.20	3.70	44	3.49	0.30	
						2006	3.10	3.70	44	3.44	0.21	
1	S.H.-41	001630	019.380	022.800	N	1997	3.80	4.80	39	4.35	0.12	
						1998	3.70	4.80	39	4.30	0.15	
						1999	3.80	4.80	40	4.35	0.18	
						2000	3.70	4.50	40	4.14	0.19	
						2001	3.80	4.00	40	3.91	0.18	
						2002	3.50	4.00	40	3.77	0.21	
						2003	3.50	4.00	40	3.77	0.24	
						*2004	3.50	4.00	36	3.77	0.22	
						2005	3.60	5.00	44	4.37	0.09	PLANT MIX OVERLAY
						2006	3.60	5.00	44	4.37	0.10	

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT  
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----  
FINAL INDEX REPORT FOR 1997-2006

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT		REMARKS
										INDEX	DEPTH	
1	S.H.-41	001630	022.800	032.676	N	1997	3.80	4.80	39	4.35	0.12	
						1998	3.70	4.80	39	4.30	0.15	
						1999	3.80	4.80	40	4.35	0.18	
						2000	3.70	4.50	40	4.14	0.19	
						2001	3.80	4.00	40	3.91	0.18	
						2002	3.50	4.00	40	3.77	0.21	
						2003	3.50	4.00	40	3.77	0.24	
						*2004	3.50	4.00	36	3.77	0.22	
						2005	3.50	4.00	44	3.77	0.19	
						2006	3.40	4.00	44	3.73	0.26	
1	S.H.-41	001630	032.676	037.400	N	1997	3.90	5.00	34	4.50	0.15	
						1998	3.90	5.00	34	4.50	0.22	
						1999	3.90	5.00	34	4.50	0.26	
						2000	3.80	5.00	34	4.45	0.24	
						2001	3.90	5.00	34	4.50	0.24	
						2002	3.60	5.00	34	4.36	0.27	
						2003	3.60	5.00	40	4.36	0.29	
						2004	3.60	5.00	36	4.36	0.28	
						2005	3.60	5.00	44	4.36	0.28	
						2006	3.50	5.00	44	4.32	0.33	
1	S.H.-41	001630	037.400	039.058	N	1997	2.30	1.80	37	2.00	0.38	
						1998	2.70	3.00	37	2.87	0.26	
						1999	2.60	3.00	45	2.83	0.27	
						2000	2.70	3.00	45	2.87	0.27	
						2001	2.70	3.00	45	2.87	0.27	
						2002	2.80	3.00	45	2.91	0.29	
						2003	2.80	3.00	40	2.91	0.29	
						2004	2.80	3.00	36	2.91	0.29	
						2005	2.70	3.00	44	2.87	0.30	
						2006	2.70	3.00	44	2.87	0.33	
1	S.H.-41	006047	000.000	000.270	N	1997	1.90	5.00	41	3.67	0.21	
						1998	2.20	5.00	41	3.80	0.08	
						1999	2.00	5.00	41	3.71	0.10	
						2000	2.10	5.00	41	3.76	0.10	
						2001	2.20	5.00	65	3.80	0.13	
						2002	2.80	5.00	65	4.05	0.15	
						2003	2.80	5.00	40	4.05	0.17	
						2004	2.70	5.00	36	4.01	0.14	
						2005	3.00	5.00	44	4.08	0.15	
						2006	3.00	5.00	44	4.08	0.20	

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT  
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----  
FINAL INDEX REPORT FOR 1997-2006

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT		REMARKS	
										INDEX	DEPTH		
1	S.H.-53	001650	000.000	008.207	N	1997	3.70	3.20	36	3.42	0.13	C.R.A.B.S.	1999
						1998	3.60	2.80	36	3.16	0.17		
						1999	3.20	5.00	64	4.18	0.05		
						2000	3.30	5.00	64	4.18	0.06		
						2001	3.30	5.00	64	4.18	0.07		
						2002	3.20	5.00	64	4.12	0.10		
						2003	3.20	5.00	40	4.12	0.11		
						2004	3.20	5.00	36	4.13	0.13		
						2005	3.20	4.80	44	4.02	0.12		
						2006	3.20	4.80	44	4.02	0.14		
1	S.H.-53	001650	008.207	009.145	N	*1997	2.60	2.00	42	2.25	0.21	PLANT MIX OVERLAY C.R.A.B.S.	1998 1999
						1998	4.00	5.00	39	4.57	0.14		
						1999	3.10	5.00	51	4.19	0.08		
						2000	3.20	5.00	51	4.18	0.12		
						2001	3.10	5.00	51	4.13	0.14		
						2002	3.30	5.00	51	4.22	0.17		
						2003	3.20	5.00	40	4.17	0.19		
						2004	3.20	5.00	36	4.17	0.22		
						2005	3.30	5.00	44	4.22	0.18		
						2006	3.30	5.00	44	4.22	0.22		
1	S.H.-53	001650	009.145	009.460	N	1997	2.20	2.50	36	2.37	0.28	PLANT MIX OVERLAY	1998
						1998	4.00	5.00	36	4.57	0.09		
						1999	2.80	5.00	36	4.06	0.12		
						2000	3.20	5.00	36	4.18	0.15		
						2001	3.10	5.00	51	4.13	0.15		
						2002	3.30	5.00	51	4.22	0.20		
						2003	3.30	5.00	40	4.22	0.21		
						2004	3.20	5.00	36	4.17	0.25		
						2005	3.20	5.00	44	4.17	0.25		
						2006	3.20	5.00	44	4.17	0.26		
1	S.H.-53	001650	009.660	009.765	N	1997	2.20	4.00	36	3.23	0.28	PLANT MIX OVERLAY	1998
						1998	4.00	4.00	36	4.00	0.09		
						1999	2.80	4.00	36	3.49	0.12		
						2000	3.20	4.00	36	3.63	0.15		
						2001	3.10	4.00	51	3.59	0.15		
						2002	3.30	4.00	51	3.68	0.20		
						2003	3.30	4.00	40	3.68	0.21		
						2004	3.20	4.00	36	3.63	0.25		
						2005	3.20	4.00	44	3.63	0.25		
						2006	3.20	4.00	44	3.63	0.26		

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT  
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----  
FINAL INDEX REPORT FOR 1997-2006

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT		REMARKS	
										INDEX	DEPTH		
1	S.H.-53	001650	009.765	013.050	N	1997	3.50	3.50	31	3.50	0.23	PLANT MIX OVERLAY	1998
						1998	4.00	5.00	31	4.54	0.10		
						1999	3.90	5.00	56	4.50	0.10		
						2000	3.90	5.00	56	4.47	0.12		
						2001	3.90	5.00	56	4.47	0.12		
						2002	3.80	5.00	56	4.42	0.16		
						2003	3.70	5.00	40	4.37	0.18		
						2004	3.70	4.80	36	4.27	0.20		
						2005	3.70	4.80	44	4.27	0.19		
						2006	3.70	4.50	44	4.11	0.24		
1	S.H.-53	001650	013.050	014.080	N	*1997	3.20	3.80	31	3.52	0.20	PLANT MIX OVERLAY	1998
						1998	3.70	5.00	31	4.41	0.05		
						1999	3.70	5.00	47	4.41	0.08		
						2000	3.70	5.00	47	4.37	0.10		
						2001	3.70	5.00	47	4.37	0.09		
						2002	3.70	5.00	47	4.37	0.12		
						2003	3.60	5.00	40	4.32	0.13		
						2004	3.60	5.00	36	4.32	0.15		
						2005	3.60	5.00	44	4.32	0.16		
						2006	3.50	5.00	44	4.27	0.20		
1	S.H.-53	001650	014.080	014.240	N	*1997	3.20	3.80	31	3.52	0.20		
						1998	2.50	3.80	31	3.21	0.10		
						1999	2.60	3.80	47	3.25	0.11		
						2000	2.40	3.80	47	3.12	0.17		
						2001	2.60	3.80	47	3.22	0.18		
						2002	2.70	3.80	47	3.27	0.14		
						2003	2.60	3.80	40	3.22	0.12		
						2004	2.40	3.80	36	3.12	0.24		
						2005	2.50	3.80	44	3.17	0.21		
						2006	2.20	3.80	44	3.03	0.20		
1	S.H.-54	001640	000.000	007.400	N	1997	2.90	2.00	40	2.34	0.14	C.R.A.B.S.	1999
						1998	2.80	2.00	40	2.30	0.17		
						1999	2.80	5.00	45	4.16	0.23		
						2000	3.70	5.00	45	4.50	0.04		
						2001	3.80	5.00	45	4.54	0.04		
						2002	3.60	5.00	45	4.46	0.03		
						2003	3.60	5.00	40	4.46	0.04		
						2004	3.60	5.00	36	4.46	0.05		
						2005	3.60	4.70	44	4.28	0.05		
						2006	3.60	4.70	44	4.28	0.06		

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT  
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----  
FINAL INDEX REPORT FOR 1997-2006

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT			REMARKS		
										INDEX	DEPTH				
1	S.H.-54	001640	007.400	007.916	N	1997	2.10	3.00	36	2.65	0.17	C.R.A.B.S.	1999		
						1998	2.20	2.80	36	2.57	0.20				
						1999	2.10	5.00	48	3.89	0.20				
						2000	2.50	5.00	48	4.05	0.05				
						2001	2.80	5.00	48	4.16	0.04				
						2002	2.50	5.00	48	4.05	0.02			SEALCOAT	2002
						2003	2.60	5.00	40	4.08	0.03				
						2004	2.00	5.00	36	3.86	0.05				
						2005	2.50	4.80	44	3.92	0.04				
						2006	2.70	4.80	44	4.00	0.06				
1	S.H.-54	001640	007.916	012.131	N	1997	2.80	2.90	33	2.85	0.22	SEALCOAT	2002		
						1998	2.70	2.90	33	2.81	0.22				
						1999	2.70	3.00	39	2.87	0.25				
						2000	2.70	3.00	39	2.87	0.26				
						2001	2.80	3.00	39	2.91	0.25				
						2002	2.70	3.00	39	2.87	0.21				
						2003	2.60	3.00	40	2.83	0.17				
						2004	2.60	3.00	36	2.83	0.18				
						2005	2.60	3.00	44	2.83	0.19				
						2006	2.60	3.00	44	2.83	0.21				
1	S.H.-54	001640	012.131	013.200	ASC	1997	2.80	2.50	43	2.62	0.18	SEALCOAT	2002		
						1998	2.70	2.50	43	2.58	0.23				
						1999	2.60	2.50	56	2.54	0.19				
						2000	2.70	2.50	56	2.58	0.20				
						2001	2.70	2.50	56	2.58	0.21				
						2002	2.50	2.50	56	2.50	0.22				
						2003	2.60	2.50	40	2.54	0.18				
						2004	2.60	2.50	36	2.54	0.17				
						2005	2.60	2.50	44	2.54	0.17				
						2006	2.70	2.50	44	2.58	0.17				
1	S.H.-54	001640	012.131	013.200	DES	1997	2.60	1.50	40	1.95	0.18	SEALCOAT	2002		
						1998	2.70	1.50	40	1.99	0.22				
						1999	2.60	3.00	43	2.83	0.16				
						2000	2.50	3.00	43	2.79	0.18				
						2001	2.60	3.00	43	2.83	0.20				
						2002	2.70	3.00	43	2.87	0.20				
						2003	2.70	3.00	40	2.87	0.15				
						2004	2.80	3.00	36	2.91	0.14				
						2005	2.80	3.00	44	2.91	0.14				
						2006	2.80	3.00	44	2.91	0.14				

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT  
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----  
FINAL INDEX REPORT FOR 1997-2006

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT		REMARKS						
										INDEX	DEPTH							
1	S.H.-54	001640	013.200	014.650	ASC	1997	2.40	1.50	45	1.87	0.25							
						1998	2.30	3.00	45	2.71	0.31							
						1999	2.30	3.00	61	2.71	0.25							
						2000	2.30	3.00	61	2.71	0.27							
						2001	2.30	3.00	61	2.71	0.27							
						2002	2.80	3.00	61	2.91	0.26	SEALCOAT	2002					
						2003	2.90	3.00	40	2.95	0.23							
						2004	2.80	3.00	36	2.91	0.23							
						2005	2.80	3.00	44	2.91	0.24							
						2006	2.80	3.00	44	2.91	0.25							
						1	S.H.-54	001640	013.200	014.650	DES	1997	2.50	1.50	40	1.91	0.31	
												1998	2.80	3.00	40	2.91	0.35	
1999	2.60	3.00	55	2.83	0.25													
2000	2.60	3.00	55	2.83	0.27													
2001	2.70	3.00	55	2.87	0.29													
2002	2.50	3.00	55	2.79	0.29							SEALCOAT	2002					
2003	2.70	3.00	40	2.87	0.29													
2004	2.80	3.00	36	2.91	0.28													
2005	2.80	3.00	44	2.91	0.29													
2006	2.80	3.00	44	2.91	0.27													
1	S.H.-54	001640	014.650	015.510	N							1997	1.90	3.50	41	2.89	0.28	
												1998	1.80	3.50	41	2.85	0.32	
						1999	1.80	3.50	46	2.85	0.28							
						2000	1.80	3.50	46	2.85	0.28							
						2001	1.90	3.00	46	2.58	0.29							
						2002	2.10	3.00	46	2.65	0.32	SEALCOAT	2002					
						2003	2.10	3.00	40	2.65	0.28							
						2004	2.10	3.00	36	2.65	0.29							
						2005	2.20	3.00	44	2.69	0.28							
						2006	2.30	3.00	44	2.73	0.30							
						1	S.H.-57	001620	000.000	000.450	N	1997	2.90	3.80	39	3.45	0.20	
												1998	2.70	3.80	39	3.38	0.16	
1999	2.80	3.80	39	3.41	0.27													
2000	2.60	3.80	39	3.34	0.19													
2001	2.90	2.90	46	2.90	0.26													
2002	2.70	2.90	46	2.82	0.25													
2003	2.60	2.90	40	2.78	0.26													
2004	2.50	2.80	36	2.68	0.28													
2005	2.40	2.40	44	2.40	0.23													
2006	2.50	2.30	44	2.37	0.33													

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT  
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----  
FINAL INDEX REPORT FOR 1997-2006

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL INDEX	RUT DEPTH	REMARKS
1	S.H.-57	001620	000.450	001.295	N	1997	3.10	3.80	27	3.50	0.19	
						1998	3.10	3.80	27	3.50	0.19	
						1999	3.10	3.80	36	3.51	0.21	
						2000	3.10	3.80	36	3.50	0.26	
						2001	3.10	3.70	38	3.44	0.23	
						2002	3.30	3.70	38	3.53	0.27	
						2003	3.20	3.70	38	3.49	0.28	
						2004	3.10	3.70	38	3.44	0.30	
						2005	3.20	3.70	44	3.49	0.28	
						2006	3.20	2.70	44	2.90	0.30	
1	S.H.-57	001620	001.295	008.678	N	1997	2.90	2.70	34	2.78	0.14	
						1998	3.10	2.70	34	2.86	0.16	
						1999	3.00	2.70	37	2.82	0.19	
						2000	3.00	2.30	37	2.59	0.19	
						2001	3.00	2.30	39	2.59	0.22	
						2002	3.10	2.20	39	2.57	0.23	
						2003	3.10	2.20	39	2.57	0.24	
						2004	3.00	1.90	39	2.35	0.25	
						2005	3.00	1.90	44	2.35	0.22	
						2006	3.00	1.70	44	2.23	0.22	
1	S.H.-57	001620	008.678	019.000	N	1997	3.50	2.80	39	3.08	0.07	
						1998	3.50	2.80	39	3.08	0.08	
						1999	3.50	2.80	41	3.08	0.08	
						*2000	3.50	2.80	41	3.08	0.08	
						2001	3.50	2.70	43	3.03	0.10	
						2002	3.40	2.70	43	2.98	0.10	
						2003	3.40	2.40	43	2.81	0.13	
						2004	3.30	1.90	43	2.47	0.13	
						2005	3.30	1.90	44	2.47	0.11	
						2006	3.30	1.80	44	2.42	0.13	
1	S.H.-57	001620	019.000	022.478	N	1997	3.50	2.80	39	3.08	0.07	
						1998	3.50	2.80	39	3.08	0.08	
						1999	3.50	2.80	41	3.08	0.08	
						*2000	3.50	2.80	41	3.08	0.08	
						2001	4.00	5.00	57	4.58	0.08	MILL AND INLAY
						2002	3.20	4.50	57	3.96	0.07	
						2003	3.30	4.50	57	4.00	0.08	
						2004	3.30	4.50	57	4.00	0.08	
						2005	3.30	4.50	44	4.00	0.08	
						2006	3.30	4.50	44	4.00	0.09	

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT  
ENDING MILEPOINT, DIRECTION, AND YEAR

2001

----HISTORICAL PAVEMENT CONDITIONS----  
FINAL INDEX REPORT FOR 1997-2006

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT		REMARKS	
										INDEX	DEPTH		
1	S.H.-57	001620	022.478	025.800	N	1997	2.90	2.40	37	2.58	0.11		
						1998	2.90	2.40	37	2.58	0.13		
						1999	2.80	2.40	40	2.55	0.15		
						*2000	2.90	2.40	40	2.58	0.14		
							3.80	5.00	58	4.50	0.05	MILL AND INLAY	
							3.30	4.80	58	4.17	0.05		
							3.30	4.80	58	4.17	0.05		
							3.30	4.80	58	4.17	0.05		
							3.30	4.80	44	4.17	0.06		
							3.20	4.20	44	3.78	0.07		
							1997	2.90	2.40	37	2.58	0.11	
							1998	2.90	2.40	37	2.58	0.13	
1	S.H.-57	001620	025.800	028.630	N	1999	2.80	2.40	40	2.55	0.15		
						*2000	2.90	2.40	40	2.58	0.14		
							3.20	2.40	51	2.70	0.16		
							3.10	2.40	51	2.66	0.14		
							3.20	3.40	51	3.32	0.18		
							3.20	3.40	51	3.32	0.16		
							3.20	3.40	44	3.32	0.15		
							3.10	3.40	44	3.28	0.16		
							1997	2.90	2.10	42	2.43	0.15	
							1998	2.90	2.10	42	2.43	0.16	
							1999	2.80	2.10	42	2.38	0.19	
							2000	2.90	2.10	42	2.43	0.18	
1	S.H.-57	001620	028.630	032.596	N	2001	2.80	2.10	43	2.38	0.19		
						*2002	2.90	2.10	43	2.43	0.15		
							3.40	3.20	44	3.28	0.07		
							3.40	3.20	44	3.28	0.08		
							3.30	3.20	44	3.24	0.08		
							3.20	3.20	44	3.20	0.09		
							1997	2.90	2.10	42	2.43	0.15	
							1998	2.90	2.10	42	2.43	0.16	
							1999	2.80	2.10	42	2.38	0.19	
							2000	2.90	2.10	42	2.43	0.18	
							2001	2.80	2.10	43	2.38	0.19	
							*2002	2.90	2.10	43	2.43	0.15	
1	S.H.-57	001620	032.596	035.000	N	2003	2.90	2.10	43	2.43	0.25		
						*2004	3.10	2.10	43	2.51	0.13		
							3.40	5.00	44	4.33	0.03		
							3.30	5.00	44	4.29	0.05		

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT  
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----  
FINAL INDEX REPORT FOR 1997-2006

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT		REMARKS						
										INDEX	DEPTH							
1	S.H.-57	001620	035.000	037.230	N	1997	2.90	2.10	42	2.43	0.15							
						1998	2.90	2.10	42	2.43	0.16							
						1999	2.80	2.10	42	2.38	0.19							
						2000	2.90	2.10	42	2.43	0.18							
						2001	2.80	2.10	43	2.38	0.19							
						*2002	2.90	2.10	43	2.43	0.15							
						2003	2.90	2.10	43	2.43	0.25							
						*2004	3.10	2.10	43	2.51	0.13							
						2005	3.30	3.00	44	3.12	0.09							
						2006	3.20	3.00	44	3.08	0.17							
						1	S.H.-58	001810	000.000	002.760	N	*1997	2.50	1.70	43	2.03	0.23	PLANT MIX OVERLAY
												1998	2.80	5.00	43	4.08	0.15	
1999	2.80	5.00	60	4.08	0.14													
2000	2.80	5.00	60	4.08	0.14													
2001	2.90	5.00	60	4.12	0.15													
2002	3.00	4.50	60	3.87	0.16													
2003	3.00	3.90	43	3.52	0.17													
2004	3.00	2.70	43	2.82	0.16													
2005	3.00	2.70	44	2.82	0.16													
2006	3.00	1.90	44	2.35	0.19													
1	S.H.-58	001810	002.760	002.861	N							*1997	2.50	1.70	43	2.03	0.23	
												1998	1.40	5.00	43	3.50	0.28	
						1999	1.50	4.00	60	2.96	0.18							
						2000	1.30	4.00	60	2.87	0.27							
						2001	1.50	4.00	60	2.96	0.31							
						2002	3.00	4.00	60	3.58	0.12							
						2003	3.00	2.40	43	2.64	0.15							
						2004	3.00	1.90	43	2.35	0.11							
						2005	3.00	1.90	44	2.35	0.14							
						2006	2.90	1.90	44	2.31	0.12							
						1	S.H.-60	001830	000.000	005.510	N	1997	2.80	1.50	54	2.03	0.24	
												1998	2.80	1.50	54	2.03	0.19	
1999	2.70	1.50	57	1.99	0.29													
2000	2.70	1.50	57	1.99	0.31													
2001	2.70	1.50	57	1.99	0.31													
2002	3.80	1.50	57	2.44	0.14													
2003	3.80	5.00	43	4.50	0.16													
2004	3.70	5.00	43	4.46	0.17							SEALCOAT						
2005	3.70	5.00	44	4.46	0.14													
2006	3.70	4.20	44	3.99	0.14													

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT  
ENDING MILEPOINT, DIRECTION, AND YEAR

1997

2004

----HISTORICAL PAVEMENT CONDITIONS----  
FINAL INDEX REPORT FOR 1997-2006

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL INDEX	RUT DEPTH	REMARKS
1	I-90	001660	000.000	005.800	ASC	1997	2.50	3.50	31	2.97	0.10	
						1998	2.40	3.50	21	2.92	0.14	
						*1999	2.40	3.50	37	2.92	0.12	
						2000	4.10	5.00	35	4.52	0.08	CONCRETE RESURFACE
						2001	4.00	5.00	45	4.47	0.14	
						2002	3.70	5.00	45	4.31	0.18	
						2003	3.70	5.00	45	4.31	0.20	
						2004	3.60	5.00	45	4.26	0.25	
						2005	3.60	5.00	44	4.26	0.25	
						2006	3.50	5.00	44	4.20	0.30	
1	I-90	001660	000.000	005.800	DES	1997	2.90	3.50	31	3.18	0.10	
						1998	2.80	3.50	22	3.13	0.14	
						*1999	2.70	3.50	36	3.08	0.19	
						2000	3.80	5.00	36	4.36	0.07	CONCRETE RESURFACE
						2001	4.20	5.00	43	4.57	0.12	
						2002	3.70	5.00	43	4.31	0.19	
						2003	3.70	5.00	43	4.31	0.21	
						2004	3.60	5.00	43	4.26	0.25	
						2005	3.60	5.00	44	4.26	0.21	
						2006	3.50	5.00	44	4.20	0.32	
1	I-90	001660	005.800	008.189	ASC	1997	2.50	3.50	30	2.97	0.19	
						1998	2.50	3.50	23	2.97	0.17	
						*1999	2.40	3.50	38	2.92	0.26	
						2000	4.00	5.00	38	4.47	0.09	CONCRETE RESURFACE
						2001	4.00	5.00	46	4.47	0.13	
						2002	3.50	5.00	46	4.21	0.19	
						2003	3.50	5.00	46	4.20	0.21	
						2004	3.50	5.00	46	4.20	0.21	
						2005	3.40	5.00	44	4.15	0.29	
						2006	3.30	5.00	44	4.09	0.30	
1	I-90	001660	005.800	008.189	DES	1997	2.70	3.00	32	2.84	0.20	
						1998	2.60	3.00	22	2.79	0.25	
						*1999	2.50	3.00	38	2.73	0.31	
						2000	3.60	5.00	39	4.26	0.13	CONCRETE RESURFACE
						2001	4.20	5.00	43	4.58	0.12	
						2002	3.60	5.00	43	4.26	0.21	
						2003	3.60	5.00	43	4.26	0.25	
						2004	3.50	5.00	43	4.20	0.32	
						2005	3.50	5.00	44	4.20	0.36	
						2006	3.40	5.00	44	4.15	0.40	

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT  
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----  
FINAL INDEX REPORT FOR 1997-2006

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL INDEX	RUT DEPTH	REMARKS	
1	I-90	001660	008.189	009.785	ASC	1997	2.50	3.40	30	2.92	0.17		
						1998	2.40	3.20	22	2.78	0.25		
						1999	2.30	3.20	38	2.72	0.28		
						2000	4.10	5.00	38	4.52	0.08	CONCRETE RESURFACE	2000
						2001	4.00	5.00	45	4.47	0.13		
						2002	3.50	5.00	45	4.21	0.22		
						2003	3.40	5.00	45	4.15	0.27		
						2004	3.30	5.00	45	4.10	0.29		
						2005	3.30	5.00	44	4.10	0.39		
						2006	3.20	5.00	44	4.04	0.43		
1	I-90	001660	008.189	009.785	DES	1997	2.60	3.00	33	2.79	0.25		
						1998	2.60	3.00	23	2.79	0.30		
						1999	2.50	3.00	39	2.73	0.33		
						2000	3.60	5.00	39	4.26	0.10	CONCRETE RESURFACE	2000
						2001	4.20	5.00	44	4.58	0.13		
						2002	3.80	5.00	44	4.36	0.21		
						2003	3.70	5.00	44	4.31	0.26		
						2004	3.50	5.00	44	4.20	0.36		
						2005	3.50	5.00	44	4.20	0.34		
						2006	3.40	5.00	44	4.15	0.51		
1	I-90	001660	009.785	010.920	ASC	*1997	2.30	2.30	32	2.30	0.33		
						1998	2.30	2.30	20	2.30	0.48		
						*1999	2.10	2.30	38	2.19	0.45		
						2000	4.20	5.00	37	4.57	0.09	CONCRETE RESURFACE	2000
						2001	4.10	5.00	45	4.52	0.22		
						2002	3.60	5.00	45	4.26	0.30		
						2003	3.60	5.00	45	4.26	0.34		
						2004	3.40	5.00	45	4.15	0.41		
						2005	3.40	5.00	44	4.15	0.41		
						2006	3.30	5.00	44	4.09	0.48		
1	I-90	001660	009.785	010.920	DES	*1997	2.60	2.30	42	2.45	0.34		
						1998	2.50	2.30	24	2.40	0.33		
						*1999	2.40	2.30	43	2.35	0.36		
						2000	3.90	5.00	41	4.42	0.05	CONCRETE RESURFACE	2000
						2001	4.20	5.00	43	4.58	0.16		
						2002	3.70	5.00	43	4.31	0.23		
						2003	3.60	5.00	43	4.26	0.28		
						2004	3.50	5.00	43	4.20	0.35		
						2005	3.50	5.00	44	4.20	0.34		
						2006	3.20	5.00	44	4.04	0.50		

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT  
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----  
FINAL INDEX REPORT FOR 1997-2006

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT INDEX	RUT DEPTH	REMARKS
1	I-90	001660	010.920	013.569	ASC	1997	2.70	1.80	40	2.25	0.24	
						*1998	3.10	1.80	24	2.46	0.30	
						*1999	3.70	5.00	43	4.33	0.07	MILL AND INLAY
						2000	4.00	5.00	43	4.48	0.03	
						2001	4.00	5.00	27	4.48	0.05	
						2002	3.80	4.50	27	4.14	0.10	
						2003	3.80	4.50	27	4.14	0.12	
						2004	3.70	4.50	27	4.08	0.16	
						2005	3.70	4.20	44	3.94	0.19	
						2006	3.60	4.20	44	3.89	0.24	
1	I-90	001660	010.920	013.569	DES	1997	2.60	1.80	39	2.20	0.35	
						*1998	2.90	1.80	27	2.36	0.34	
						*1999	4.20	5.00	42	4.59	0.08	MILL AND INLAY
						2000	4.30	5.00	42	4.64	0.04	
						2001	4.30	5.00	28	4.64	0.04	
						2002	4.00	5.00	28	4.48	0.07	
						2003	3.80	4.80	28	4.28	0.09	
						2004	3.80	4.80	28	4.28	0.12	
						2005	3.80	4.80	44	4.28	0.12	
						2006	3.60	3.90	44	3.74	0.18	
1	I-90	001660	013.569	014.781	ASC	1997	2.70	1.80	34	2.25	0.29	
						1998	2.40	1.80	21	2.10	0.40	
						1999	4.00	5.00	35	4.48	0.06	MILL AND INLAY
						2000	3.90	5.00	35	4.43	0.03	
						2001	4.00	5.00	29	4.48	0.04	
						2002	3.60	4.50	29	4.03	0.07	
						2003	3.70	4.40	29	4.04	0.08	
						2004	3.60	3.40	29	3.50	0.09	
						2005	3.70	3.40	44	3.55	0.13	
						2006	3.50	2.40	44	2.96	0.12	
1	I-90	001660	013.569	014.781	DES	1997	2.40	1.90	42	2.15	0.26	
						1998	3.00	1.90	30	2.46	0.29	
						1999	4.00	5.00	47	4.48	0.05	MILL AND INLAY
						2000	4.00	5.00	47	4.48	0.05	
						2001	4.00	5.00	29	4.48	0.06	
						2002	3.80	5.00	29	4.38	0.08	
						2003	3.90	5.00	29	4.43	0.11	
						2004	3.90	5.00	29	4.43	0.11	
						2005	3.90	5.00	44	4.43	0.11	
						2006	3.70	4.00	44	3.84	0.16	

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT  
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----  
FINAL INDEX REPORT FOR 1997-2006

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT		REMARKS
										INDEX	DEPTH	
1	I-90	001660	020.280	020.682	ASC	1997	2.30	4.00	29	3.13	0.06	
						1998	2.10	4.00	29	3.03	0.05	
						1999	2.20	4.00	29	3.08	0.06	
						2000	2.20	4.00	29	3.08	0.05	
						2001	2.20	4.00	36	3.08	0.06	
						2002	2.30	4.00	36	3.13	0.11	
						2003	2.20	4.00	36	3.08	0.18	MILL AND INLAY
						2004	2.30	5.00	36	3.62	0.08	
						2005	2.20	5.00	44	3.57	0.05	
						2006	2.10	5.00	44	3.52	0.06	
1	I-90	001660	020.280	020.682	DES	1997	2.70	4.50	50	3.58	0.11	
						1998	2.80	4.50	50	3.63	0.17	
						1999	2.70	4.50	50	3.58	0.13	
						2000	2.80	4.50	29	3.63	0.22	
						2001	2.80	4.50	43	3.63	0.23	
						2002	2.70	4.50	43	3.58	0.26	
						2003	2.40	4.50	43	3.43	0.23	MILL AND INLAY
						2004	2.40	5.00	43	3.67	0.03	
						2005	2.30	4.00	44	3.13	0.19	
						2006	2.10	4.00	44	3.03	0.12	
1	I-90	001660	021.000	024.000	ASC	1997	3.30	4.50	39	3.89	0.12	
						1998	3.30	4.50	39	3.89	0.12	
						1999	3.30	4.00	45	3.64	0.16	
						2000	3.20	4.00	45	3.59	0.21	
						2001	3.30	4.00	39	3.64	0.23	
						2002	3.20	4.00	39	3.59	0.25	
						*2003	3.10	4.00	39	3.54	0.28	MILL AND INLAY
						2004	4.00	5.00	36	4.49	0.03	
						2005	4.00	5.00	44	4.49	0.05	
						2006	3.90	5.00	44	4.44	0.06	
1	I-90	001660	021.000	024.000	DES	1997	3.30	4.50	34	3.89	0.18	
						1998	3.30	4.50	32	3.89	0.22	
						1999	3.20	4.50	32	3.84	0.24	
						2000	3.30	4.50	32	3.89	0.28	
						2001	3.40	4.40	41	3.89	0.26	
						2002	3.20	4.40	41	3.79	0.30	
						*2003	3.20	4.20	41	3.69	0.32	MILL AND INLAY
						2004	4.00	5.00	39	4.49	0.05	
						2005	4.00	5.00	44	4.49	0.06	
						2006	3.90	5.00	44	4.44	0.09	

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT  
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----

FINAL INDEX REPORT FOR 1997-2006

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT		REMARKS						
										INDEX	DEPTH							
1	I-90	001660	024.000	025.700	ASC	1997	3.30	4.50	39	3.89	0.12							
						1998	3.30	4.50	39	3.89	0.12							
						1999	3.30	4.00	45	3.64	0.16							
						2000	3.20	4.00	45	3.59	0.21							
						2001	3.30	4.00	39	3.64	0.23							
						2002	3.20	4.00	39	3.59	0.25							
						*2003	3.10	4.00	39	3.54	0.28							
						2004	3.10	2.40	43	2.75	0.27							
						2005	3.10	2.40	44	2.75	0.28							
						2006	3.80	5.00	44	4.39	0.03							
						1	I-90	001660	024.000	025.700	DES	1997	3.30	4.50	34	3.89	0.18	
												1998	3.30	4.50	32	3.89	0.22	
												1999	3.20	4.50	32	3.84	0.24	
												2000	3.30	4.50	32	3.89	0.28	
2001	3.40	4.40	41	3.89	0.26													
2002	3.20	4.40	41	3.79	0.30													
*2003	3.20	4.20	41	3.69	0.32													
2004	3.00	2.40	45	2.70	0.30													
2005	3.00	2.40	44	2.70	0.32													
2006	3.10	5.00	44	4.03	0.05													
1	I-90	001660	025.700	029.210	ASC							1997	3.20	3.50	41	3.34	0.10	
												1998	3.10	3.50	41	3.29	0.10	
												1999	3.00	3.50	46	3.24	0.09	
												2000	3.00	3.50	46	3.24	0.10	
						2001	3.10	3.50	42	3.29	0.12							
						2002	3.00	3.50	42	3.24	0.12							
						2003	3.00	3.20	42	3.09	0.15							
						2004	3.00	2.80	42	2.90	0.19							
						2005	2.90	2.40	44	2.65	0.16							
						2006	4.00	5.00	44	4.49	0.03							
						1	I-90	001660	025.700	029.210	DES	1997	3.20	4.50	38	3.84	0.10	
												1998	3.10	4.50	35	3.79	0.11	
												1999	2.80	4.50	49	3.63	0.12	
												2000	3.10	4.40	49	3.74	0.16	
2001	2.90	3.40	42	3.14	0.16													
2002	2.80	3.40	42	3.09	0.17													
2003	2.80	3.40	42	3.09	0.20													
2004	2.70	2.60	42	2.65	0.20													
2005	2.80	2.40	44	2.60	0.22													
2006	2.60	5.00	44	3.78	0.07													

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT  
 ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----  
FINAL INDEX REPORT FOR 1997-2006

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT INDEX	RUT DEPTH	REMARKS	
1	I-90	001660	029.210	031.900	ASC	1997	3.10	2.80	42	2.95	0.07		
						1998	2.70	2.80	42	2.74	0.08		
						1999	2.70	2.80	48	2.74	0.08		
						2000	2.70	2.80	48	2.74	0.09		
						2001	2.70	2.80	41	2.74	0.11		
						2002	2.70	2.80	41	2.74	0.10		
						*2003	2.70	2.80	41	2.74	0.12		
						2004	2.60	2.40	39	2.50	0.09		
						2005	2.60	2.40	44	2.50	0.12		
						2006	4.00	5.00	44	4.49	0.02		
1	I-90	001660	029.210	031.900	DES	1997	2.70	3.00	40	2.84	0.10		
						1998	2.70	3.00	40	2.84	0.14		
						1999	2.60	3.00	50	2.79	0.13		
						2000	2.70	3.00	50	2.84	0.18		
						2001	2.80	3.10	43	2.94	0.17		
						2002	2.60	3.10	43	2.84	0.17		
						*2003	2.60	3.10	43	2.84	0.19		
						2004	2.60	2.40	42	2.50	0.12		
						2005	2.40	2.40	44	2.40	0.16		
						2006	2.70	5.00	44	3.83	0.07		
1	I-90	001660	031.900	040.000	ASC	1997	3.20	2.60	38	2.90	0.24		
						1998	3.20	2.60	38	2.90	0.25		
						1999	3.10	2.60	43	2.85	0.36		
						2000	3.10	2.60	43	2.85	0.36		
						2001	3.00	2.60	38	2.80	0.40		
						2002	3.10	2.60	38	2.85	0.39		
						*2003	3.10	2.60	38	2.85	0.47		
						2004	3.30	5.00	39	4.13	0.42	MILL AND INLAY	
						2005	3.70	5.00	44	4.33	0.11	SEALCOAT	2004 2005
						2006	3.80	5.00	44	4.39	0.14		
1	I-90	001660	031.900	040.000	DES	1997	3.30	2.80	34	3.05	0.33		
						1998	3.30	2.80	29	3.05	0.33		
						1999	3.20	3.10	41	3.15	0.38		
						2000	3.20	3.10	41	3.15	0.43		
						2001	3.30	3.50	36	3.39	0.43		
						2002	3.30	3.50	36	3.39	0.41		
						*2003	3.20	3.50	36	3.34	0.50		
						2004	3.20	5.00	38	4.08	0.19	MILL AND INLAY	2004
						2005	3.60	5.00	44	4.28	0.08	SEALCOAT	2005
						2006	3.70	5.00	44	4.33	0.14		

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT  
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----  
FINAL INDEX REPORT FOR 1997-2006

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL INDEX	RUT DEPTH	REMARKS
1	I-90	001660	040.000	040.391	ASC	1997	3.20	2.60	38	2.90	0.24	
						1998	3.20	2.60	38	2.90	0.25	
						1999	3.10	2.60	43	2.85	0.36	
						2000	3.10	2.60	43	2.85	0.36	
						2001	3.00	2.60	38	2.80	0.40	
						2002	3.10	2.60	38	2.85	0.39	
						*2003	3.10	2.60	38	2.85	0.47	
						2004	3.20	2.30	38	2.75	0.38	
						2005	3.30	2.30	44	2.80	0.14	
						2006	3.20	2.30	44	2.75	0.29	
1	I-90	001660	040.000	040.391	DES	1997	3.30	2.80	34	3.05	0.33	
						1998	3.30	2.80	29	3.05	0.33	
						1999	3.20	3.10	41	3.15	0.38	
						2000	3.20	3.10	41	3.15	0.43	
						2001	3.30	3.50	36	3.39	0.43	
						2002	3.30	3.50	36	3.39	0.41	
						*2003	3.20	3.50	36	3.34	0.50	
						2004	3.20	5.00	38	4.08	0.06	
						2005	3.20	5.00	44	4.08	0.34	
						2006	3.10	5.00	44	4.03	0.33	
1	I-90	001660	040.391	044.100	ASC	1997	3.70	5.00	36	4.34	0.17	
						1998	3.70	5.00	36	4.34	0.18	
						1999	3.70	5.00	43	4.34	0.24	
						2000	3.70	5.00	43	4.34	0.24	
						2001	3.80	5.00	32	4.39	0.29	
						2002	3.60	5.00	32	4.28	0.28	
						2003	3.60	4.80	32	4.19	0.28	
						2004	3.60	4.80	32	4.19	0.35	
						2005	3.70	4.70	44	4.19	0.28	
						2006	3.60	4.70	44	4.14	0.33	
1	I-90	001660	040.391	044.100	DES	1997	3.50	5.00	34	4.23	0.18	
						1998	3.50	5.00	27	4.23	0.23	
						1999	3.40	5.00	39	4.18	0.28	
						2000	3.50	5.00	39	4.23	0.30	
						2001	3.50	5.00	35	4.23	0.28	
						2002	3.30	5.00	35	4.13	0.33	
						2003	3.40	5.00	35	4.18	0.37	
						2004	3.40	5.00	35	4.18	0.30	
						2005	3.30	4.90	44	4.08	0.32	
						2006	3.30	4.90	44	4.08	0.43	

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT  
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----  
FINAL INDEX REPORT FOR 1997-2006

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT		REMARKS						
										INDEX	DEPTH							
1	I-90	001660	044.100	044.888	ASC	1997	3.70	5.00	36	4.34	0.09							
						1998	3.70	5.00	36	4.34	0.13							
						1999	3.70	5.00	38	4.34	0.13							
						2000	3.70	5.00	38	4.34	0.16							
						2001	3.80	5.00	30	4.39	0.16							
						2002	3.50	5.00	30	4.23	0.22							
						2003	3.50	5.00	30	4.23	0.24							
						2004	3.50	5.00	30	4.23	0.22							
						2005	3.50	4.80	44	4.13	0.24							
						2006	3.50	4.80	44	4.13	0.26							
						1	I-90	001660	044.100	044.888	DES	1997	3.70	5.00	34	4.34	0.09	
												1998	3.70	5.00	30	4.34	0.10	
1999	3.70	5.00	37	4.34	0.19													
2000	3.80	5.00	37	4.39	0.23													
2001	3.80	5.00	34	4.39	0.21													
2002	3.50	5.00	34	4.23	0.27													
2003	3.60	5.00	34	4.28	0.28													
2004	3.50	4.80	34	4.13	0.30													
2005	3.50	4.80	44	4.13	0.19													
2006	3.50	4.80	44	4.13	0.34													
1	I-90	001660	044.888	045.548	ASC							1997	2.70	2.30	37	2.50	0.06	
												1998	2.70	5.00	37	3.83	0.09	
						1999	2.70	5.00	40	3.82	0.07							
						2000	2.70	5.00	40	3.82	0.14							
						2001	2.70	5.00	41	3.82	0.13							
						2002	2.90	5.00	41	3.93	0.14							
						2003	2.90	5.00	41	3.93	0.15							
						2004	2.80	4.00	41	3.38	0.18							
						2005	2.70	4.00	44	3.33	0.14							
						2006	2.80	4.00	44	3.38	0.14							
						1	I-90	001660	044.888	045.548	DES	1997	3.00	2.30	35	2.65	0.08	
												1998	3.10	5.00	29	4.03	0.12	
1999	3.00	5.00	40	3.98	0.16													
2000	3.00	5.00	40	3.98	0.18													
2001	3.10	5.00	38	4.03	0.17													
2002	2.90	5.00	38	3.93	0.20													
2003	2.70	5.00	38	3.82	0.17													
2004	2.70	5.00	38	3.83	0.21													
2005	2.70	4.80	44	3.73	0.10													
2006	2.70	4.80	44	3.73	0.20													

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT  
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----

FINAL INDEX REPORT FOR 1997-2006

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT		REMARKS						
										INDEX	DEPTH							
1	I-90	001660	045.548	049.414	ASC	1997	3.40	5.00	39	4.18	0.10							
						1998	3.30	4.80	39	4.03	0.15							
						1999	3.30	4.80	33	4.03	0.17							
						2000	3.40	4.80	33	4.08	0.19							
						2001	3.30	4.80	32	4.03	0.20							
						2002	3.30	4.80	32	4.03	0.27							
						2003	3.20	4.60	32	3.88	0.28							
						2004	3.20	3.30	32	3.24	0.33							
						2005	3.20	3.30	44	3.24	0.31							
						2006	3.20	3.30	44	3.24	0.29							
						1	I-90	001660	045.548	049.414	DES	1997	3.60	5.00	47	4.28	0.06	
												1998	3.60	5.00	22	4.28	0.11	
1999	3.50	5.00	34	4.23	0.16													
2000	3.60	5.00	34	4.28	0.22													
2001	3.70	5.00	34	4.33	0.20													
2002	3.50	5.00	34	4.23	0.27													
2003	3.50	5.00	34	4.23	0.32													
2004	3.40	4.00	34	3.69	0.31													
2005	3.40	4.00	44	3.69	0.25													
2006	3.40	4.00	44	3.69	0.36													
1	I-90	001660	049.414	050.969	ASC							1997	2.80	5.00	43	3.88	0.06	
												1998	2.70	5.00	43	3.83	0.10	
						1999	2.70	5.00	35	3.83	0.13							
						2000	2.60	5.00	35	3.78	0.14							
						2001	2.70	5.00	35	3.83	0.18							
						2002	2.80	5.00	35	3.88	0.17							
						2003	2.80	5.00	35	3.88	0.20							
						2004	2.80	5.00	35	3.88	0.23							
						2005	2.90	5.00	44	3.93	0.20							
						2006	2.80	5.00	44	3.88	0.21							
						1	I-90	001660	049.414	050.969	DES	1997	3.30	5.00	43	4.13	0.07	
												1998	3.30	5.00	23	4.13	0.11	
1999	3.20	5.00	37	4.08	0.12													
2000	3.20	5.00	37	4.08	0.16													
2001	3.30	5.00	39	4.13	0.16													
2002	3.20	5.00	39	4.08	0.18													
2003	2.90	5.00	39	3.93	0.23													
2004	2.90	5.00	39	3.93	0.25													
2005	2.80	5.00	44	3.88	0.16													
2006	2.90	5.00	44	3.93	0.23													

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT  
 ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----  
FINAL INDEX REPORT FOR 1997-2006

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL INDEX	RUT DEPTH	REMARKS	
1	I-90	001660	050.969	052.000	ASC	1997	3.40	5.00	34	4.18	0.05		
						1998	3.40	5.00	34	4.18	0.27		
						*1999	3.40	5.00	47	4.18	0.29		
						2000	3.40	5.00	42	4.18	0.22		
						2001	3.40	5.00	36	4.18	0.26		
						2002	3.20	5.00	36	4.08	0.28		
						2003	3.20	5.00	36	4.08	0.30		
						2004	3.20	5.00	36	4.08	0.30		
						2005	3.20	5.00	44	4.08	0.36		
						2006	3.20	5.00	44	4.08	0.38		
1	I-90	001660	050.969	052.000	DES	1997	3.50	5.00	39	4.23	0.12		
						1998	3.50	5.00	51	4.23	0.22		
						*1999	3.40	5.00	62	4.18	0.22		
						2000	3.30	5.00	53	4.13	0.23		
						2001	3.40	5.00	43	4.18	0.22		
						2002	3.20	5.00	43	4.08	0.26		
						2003	3.30	5.00	43	4.13	0.32		
						2004	3.20	5.00	43	4.08	0.30		
						2005	3.20	5.00	44	4.08	0.20		
						2006	3.20	4.80	44	3.98	0.34		
1	I-90	001660	052.000	055.239	ASC	1997	3.60	5.00	36	4.29	0.06	CONCRETE RESURFACE	1997
						1998	3.60	5.00	36	4.29	0.18		
						*1999	3.60	5.00	55	4.29	0.21		
						2000	3.60	5.00	54	4.29	0.23		
						2001	3.60	5.00	42	4.29	0.29		
						2002	3.40	5.00	42	4.18	0.31		
						2003	3.40	5.00	42	4.18	0.37		
						2004	3.40	5.00	42	4.18	0.41		
						2005	3.40	5.00	44	4.18	0.41		
						2006	3.40	5.00	44	4.18	0.46		
1	I-90	001660	052.000	055.239	DES	1997	3.70	5.00	37	4.34	0.09	CONCRETE RESURFACE	1997
						1998	3.60	5.00	54	4.29	0.17		
						*1999	3.60	5.00	55	4.29	0.21		
						2000	3.70	5.00	56	4.34	0.24		
						2001	3.70	5.00	44	4.34	0.19		
						2002	3.40	5.00	44	4.18	0.29		
						2003	3.50	5.00	44	4.23	0.36		
						2004	3.50	5.00	44	4.23	0.35		
						2005	3.50	5.00	44	4.23	0.34		
						2006	3.50	5.00	44	4.23	0.40		

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT  
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----  
FINAL INDEX REPORT FOR 1997-2006

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL INDEX	RUT DEPTH	REMARKS	
1	I-90	001660	055.239	058.461	ASC	1997	3.40	5.00	37	4.19	0.07	CONCRETE RESURFACE	1997
						1998	3.30	5.00	37	4.13	0.19		
						1999	3.30	5.00	59	4.13	0.21		
						2000	3.40	5.00	59	4.18	0.21		
						2001	3.40	5.00	43	4.18	0.26		
						2002	3.20	5.00	43	4.08	0.32		
						2003	3.30	5.00	43	4.13	0.32		
						2004	3.30	5.00	43	4.13	0.35		
						2005	3.30	5.00	44	4.13	0.40		
						2006	3.30	5.00	44	4.13	0.37		
1	I-90	001660	055.239	058.461	DES	1997	3.60	5.00	37	4.29	0.07	CONCRETE RESURFACE	1997
						1998	3.60	5.00	53	4.29	0.17		
						1999	3.60	5.00	57	4.29	0.20		
						2000	3.60	5.00	57	4.29	0.23		
						2001	3.60	5.00	42	4.29	0.22		
						2002	3.40	5.00	42	4.18	0.26		
						2003	3.40	5.00	42	4.18	0.34		
						2004	3.40	5.00	42	4.18	0.32		
						2005	3.40	5.00	44	4.18	0.35		
						2006	3.40	4.80	44	4.09	0.39		
1	I-90	001660	058.461	060.580	ASC	1997	2.50	4.00	36	3.24	0.09	CONCRETE RESURFACE	1997
						1998	2.40	4.00	36	3.19	0.09		
						1999	2.40	4.00	51	3.18	0.09		
						2000	2.30	4.00	51	3.13	0.09		
						2001	2.30	4.00	44	3.13	0.11		
						2002	2.20	4.00	44	3.08	0.12		
						2003	2.20	4.00	44	3.08	0.13		
						2004	2.10	4.00	44	3.03	0.13		
						2005	2.10	4.00	44	3.03	0.13		
						2006	2.10	4.00	44	3.03	0.15		
1	I-90	001660	058.461	060.580	DES	1997	2.30	3.80	40	3.04	0.08	CONCRETE RESURFACE	1997
						1998	2.30	3.80	46	3.04	0.08		
						1999	2.20	3.80	48	2.98	0.08		
						2000	2.30	3.80	48	3.03	0.08		
						2001	2.30	3.80	45	3.04	0.08		
						2002	2.20	3.80	45	2.98	0.07		
						2003	2.30	3.80	45	3.03	0.11		
						2004	2.20	3.80	45	2.98	0.13		
						2005	2.20	3.80	44	2.98	0.12		
						2006	2.10	3.80	44	2.93	0.15		

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT  
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----  
FINAL INDEX REPORT FOR 1997-2006

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL INDEX	RUT DEPTH	REMARKS
1	I-90	001660	060.580	062.337	ASC	*1997	3.10	4.50	33	3.79	0.05	
						1998	3.10	4.50	31	3.79	0.04	
						1999	3.00	4.50	42	3.74	0.04	
						2000	3.00	4.50	42	3.74	0.04	
						2001	3.10	4.50	37	3.79	0.04	
						2002	2.90	4.50	37	3.69	0.04	
						2003	2.90	4.50	37	3.69	0.03	
						2004	2.80	4.50	37	3.64	0.04	
						2005	2.90	4.50	44	3.69	0.04	
						2006	2.80	4.50	44	3.64	0.05	
1	I-90	001660	060.580	062.337	DES	*1997	3.10	5.00	36	4.04	0.05	
						1998	3.20	5.00	37	4.09	0.03	
						1999	3.10	5.00	45	4.03	0.03	
						2000	3.10	5.00	45	4.03	0.03	
						2001	3.20	5.00	40	4.09	0.04	
						2002	2.90	5.00	40	3.93	0.03	
						2003	3.00	5.00	40	3.98	0.04	
						2004	2.80	5.00	40	3.88	0.04	
						2005	2.90	5.00	44	3.93	0.04	
						2006	2.90	4.50	44	3.69	0.04	
1	I-90	001660	062.337	062.983	ASC	*1997	3.10	4.50	33	3.79	0.05	
						1998	2.70	4.50	39	3.59	0.07	
						1999	2.50	4.50	49	3.48	0.07	
						2000	2.70	4.50	49	3.59	0.07	
						2001	2.70	4.50	47	3.59	0.10	
						2002	2.90	4.50	47	3.69	0.09	
						2003	2.90	4.50	47	3.69	0.12	
						2004	2.80	4.50	47	3.64	0.12	
						2005	2.80	4.50	44	3.64	0.12	
						2006	2.70	4.50	44	3.59	0.14	
1	I-90	001660	062.337	062.983	DES	*1997	3.10	5.00	36	4.04	0.05	
						1998	2.70	5.00	44	3.83	0.08	
						1999	2.70	5.00	54	3.83	0.08	
						2000	2.80	5.00	54	3.88	0.07	
						2001	2.80	5.00	48	3.88	0.11	
						2002	2.70	5.00	48	3.83	0.09	
						2003	2.30	5.00	48	3.63	0.12	
						2004	2.10	5.00	48	3.53	0.09	
						2005	2.30	5.00	44	3.63	0.11	
						2006	2.20	4.80	44	3.48	0.12	

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT  
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----  
FINAL INDEX REPORT FOR 1997-2006

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT		REMARKS
										INDEX	DEPTH	
1	I-90	001660	063.000	068.000	ASC	1997	3.30	5.00	38	4.14	0.05	
						*1998	3.30	5.00	38	4.14	0.07	
							3.30	5.00	50	4.14	0.08	
							3.30	5.00	50	4.14	0.09	
							3.20	4.80	46	3.99	0.10	
							3.20	4.80	46	3.99	0.11	
							3.10	4.80	46	3.94	0.12	CONCRETE REHAB
							3.10	4.80	46	3.94	0.14	
							3.10	4.80	44	3.94	0.14	
							3.00	4.80	44	3.89	0.14	
1	I-90	001660	063.000	068.000	DES	1997	3.20	5.00	36	4.09	0.07	
						*1998	3.10	5.00	41	4.04	0.08	
							3.10	5.00	50	4.04	0.09	
							3.10	5.00	50	4.04	0.11	
							3.20	5.00	46	4.09	0.09	
							3.10	5.00	46	4.04	0.13	
							3.10	5.00	46	4.04	0.12	CONCRETE REHAB
							3.00	4.80	46	3.89	0.15	
							3.10	4.80	44	3.94	0.14	
							2.90	4.00	44	3.44	0.15	
1	I-90	001660	068.000	068.591	ASC	1997	1.80	3.00	41	2.39	0.10	
						*1998	1.50	3.00	41	2.24	0.11	
							1.30	3.00	50	2.14	0.12	
							1.30	3.00	50	2.14	0.09	
							1.30	3.00	47	2.14	0.11	
							1.50	3.00	47	2.24	0.06	
							2.70	3.50	47	3.09	0.08	CONCRETE REHAB
							2.50	3.50	47	2.99	0.08	
							2.50	3.50	44	2.99	0.08	
							2.40	3.50	44	2.94	0.08	
1	I-90	001660	068.000	068.591	DES	1997	2.00	3.60	43	2.79	0.08	
						*1998	1.90	3.60	45	2.74	0.07	
							1.80	3.60	50	2.69	0.07	
							1.90	3.40	50	2.64	0.06	
							1.90	3.40	45	2.64	0.06	
							1.80	3.40	45	2.59	0.04	
							3.80	3.90	45	3.84	0.08	CONCRETE REHAB
							2.40	3.90	45	3.14	0.06	
							2.40	3.80	44	3.09	0.06	
							2.40	3.50	44	2.94	0.06	

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT  
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----  
FINAL INDEX REPORT FOR 1997-2006

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT		REMARKS
										INDEX	DEPTH	
1	I-90	001660	068.591	073.888	ASC	1997	2.10	3.00	40	2.54	0.08	
						1998	2.10	3.00	40	2.54	0.08	
						1999	2.00	3.00	48	2.49	0.08	
						2000	2.00	3.00	48	2.49	0.09	
						2001	2.00	3.00	43	2.49	0.09	
						2002	2.00	3.00	43	2.49	0.09	
						2003	2.40	3.50	43	2.94	0.06	CONCRETE REHAB
						2004	3.40	3.50	43	3.44	0.06	
						2005	3.40	3.50	44	3.44	0.07	
						2006	3.30	3.50	44	3.39	0.07	
1	I-90	001660	068.591	073.888	DES	1997	2.30	3.50	38	2.89	0.08	
						1998	2.30	3.50	43	2.89	0.06	
						1999	2.20	3.50	48	2.84	0.06	
						2000	2.30	3.50	48	2.89	0.07	
						2001	2.30	3.50	43	2.89	0.06	
						2002	2.30	3.50	43	2.89	0.05	
						2003	3.20	4.00	43	3.59	0.05	CONCRETE REHAB
						2004	3.30	4.00	43	3.64	0.05	
						2005	3.20	3.60	44	3.39	0.06	
						2006	3.10	3.60	44	3.34	0.06	
1	I-90	001661	004.720	005.240	N	1997	2.80	3.00	37	2.92	0.08	
						1998	2.60	3.00	37	2.84	0.11	
						1999	2.70	3.00	44	2.88	0.13	
						2000	2.80	3.00	44	2.91	0.16	
						2001	2.70	3.00	44	2.86	0.16	
						2002	3.00	3.00	44	3.00	0.13	
						2003	2.80	3.00	43	2.91	0.17	
						2004	2.80	3.00	43	2.91	0.21	
						2005	2.70	3.00	44	2.86	0.15	
						2006	2.80	2.40	44	2.57	0.20	
1	I-90	001661	005.240	005.765	N	1997	2.30	4.50	36	3.62	0.17	
						1998	2.20	4.50	36	3.58	0.18	
						1999	2.20	4.50	42	3.58	0.20	
						2000	2.20	4.50	42	3.50	0.24	
						2001	2.20	4.50	42	3.49	0.24	
						2002	2.20	4.50	42	3.49	0.18	
						2003	2.10	4.50	43	3.44	0.26	
						2004	2.00	4.40	43	3.34	0.28	
						2005	2.10	4.00	44	3.16	0.25	
						2006	2.00	4.00	44	3.12	0.29	

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT  
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----  
FINAL INDEX REPORT FOR 1997-2006

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT		REMARKS
										INDEX	DEPTH	
1	I-90	001662	003.661	003.804	N	1997	2.00	5.00	41	3.83	0.09	
						1998	1.90	5.00	41	3.80	0.09	
						1999	2.10	5.00	41	3.87	0.15	
						2000	1.90	5.00	41	3.79	0.16	
						2001	1.70	5.00	50	3.72	0.12	
						2002	2.10	5.00	50	3.87	0.08	
						2003	2.80	5.00	50	4.14	0.15	
						2004	2.70	5.00	50	4.11	0.12	
						2005	2.50	5.00	44	4.03	0.16	
						2006	2.80	5.00	44	4.14	0.16	
1	I-90	001664	000.000	000.255	N	1997	2.60	4.00	52	3.46	0.17	
						1998	2.50	4.00	52	3.42	0.12	
						1999	2.50	4.00	52	3.42	0.20	
						2000	2.60	4.00	52	3.46	0.17	
						2001	2.60	4.00	54	3.46	0.19	
						2002	2.50	4.00	54	3.43	0.19	
						2003	2.40	4.00	54	3.39	0.18	
						2004	2.40	3.90	54	3.32	0.19	
						2005	2.70	5.00	44	4.12	0.09	PLANT MIX OVERLAY
						2006	3.70	5.00	44	4.50	0.10	2005
1	I-90	001664	000.255	000.944	N	1997	2.90	5.00	51	4.19	0.09	
						1998	2.80	3.50	51	3.23	0.10	
						1999	2.80	3.50	51	3.23	0.12	
						2000	2.90	3.50	51	3.27	0.11	
						2001	2.80	3.50	53	3.23	0.13	
						2002	2.80	3.50	53	3.23	0.12	
						2003	2.60	3.50	53	3.15	0.14	
						2004	2.70	3.10	53	2.94	0.12	
						2005	3.30	5.00	44	4.35	0.05	PLANT MIX OVERLAY
						2006	3.40	5.00	44	4.39	0.06	2005
1	I-90	001664	000.944	001.520	N	2001	2.60	1.90	51	2.17	0.24	
						2002	2.80	1.90	51	2.25	0.26	
						2003	2.80	1.90	51	2.24	0.27	
						2004	2.90	1.90	51	2.28	0.30	
						2005	3.60	5.00	44	4.45	0.08	PLANT MIX OVERLAY
						2006	3.60	5.00	44	4.45	0.09	2005

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT  
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----  
FINAL INDEX REPORT FOR 1997-2006

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT		REMARKS
										INDEX	DEPTH	
1	I-90	001665	003.847	003.928	N	1997	1.30	3.00	50	2.35	0.13	
						1998	1.10	3.00	50	2.28	0.15	
						1999	1.30	3.00	50	2.35	0.15	
						2000	1.20	3.00	50	2.31	0.15	
						2001	1.00	3.00	51	2.24	0.12	
						2002	1.00	3.00	51	2.24	0.12	
						2003	1.00	3.00	51	2.24	0.12	
						2004	1.00	3.00	51	2.24	0.12	
						2005	3.60	3.00	44	3.22	0.08	
						2006	3.60	3.00	44	3.22	0.09	
1	I-90	001665	003.928	003.957	N	1997	1.30	3.00	50	2.35	0.13	
						1998	1.10	3.00	50	2.27	0.15	
						1999	1.30	3.00	50	2.35	0.15	
						2000	1.20	3.00	50	2.31	0.15	
						2001	1.00	3.00	51	2.24	0.12	
						2002	1.00	3.00	51	2.24	0.12	
						2003	1.00	3.00	51	2.24	0.12	
						2004	1.90	3.00	49	2.58	0.17	
						2005	3.60	3.00	44	3.22	0.08	
						2006	3.60	3.00	44	3.22	0.09	
1	I-90	001666	000.000	000.565	N	1997	1.80	2.00	54	1.93	0.14	
						1998	1.70	2.50	54	2.23	0.17	
						1999	1.70	2.50	54	2.21	0.17	
						2000	1.60	2.50	54	2.17	0.15	
						2001	1.60	2.50	51	2.17	0.16	
						2002	1.80	2.50	49	2.24	0.15	
						2003	1.90	2.50	49	2.28	0.19	
						2004	1.80	1.90	49	1.86	0.20	
						2005	1.40	5.00	44	3.70	0.15	
						2006	2.80	5.00	44	4.21	0.08	
1	I-90	001666	000.565	001.000	N	1997	1.40	3.00	51	2.46	0.15	
						1998	1.30	3.00	51	2.43	0.16	
						1999	1.40	3.00	51	2.46	0.16	
						2000	1.50	3.00	51	2.49	0.16	
						2001	1.50	3.00	51	2.49	0.17	
						2002	1.70	3.00	49	2.56	0.15	
						2003	1.70	3.00	49	2.56	0.15	
						2004	1.90	3.00	49	2.63	0.17	
						2005	1.30	5.00	44	3.76	0.11	
						2006	2.60	5.00	44	4.19	0.07	

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT  
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----  
FINAL INDEX REPORT FOR 1997-2006

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL INDEX	RUT DEPTH	REMARKS
1	I-90	001670	060.890	062.133	N	1997	2.20	4.00	56	3.31	0.13	
						1998	2.20	3.50	56	3.00	0.14	
						1999	2.10	3.40	56	2.90	0.14	
						2000	2.10	3.00	56	2.65	0.15	
						*2001	2.30	3.00	51	2.73	0.17	
						2002	2.30	3.00	49	2.73	0.14	
						2003	2.00	2.40	49	2.24	0.16	
						2004	2.40	1.90	49	2.08	0.28	
						2005	2.30	1.90	44	2.05	0.28	
						2006	3.20	5.00	44	4.31	0.05	MILL AND INLAY
1	I-90	005920	000.000	000.200	N	1997	2.00	4.00	40	3.20	0.07	2006
						1998	1.70	4.00	40	3.08	0.12	
						1999	1.70	4.00	40	3.08	0.11	
						2000	1.70	4.00	40	3.08	0.11	
						2001	1.90	4.00	43	3.16	0.15	
						2002	1.70	4.00	43	3.08	0.20	
						2003	1.50	4.00	43	3.00	0.21	
						2004	1.50	4.00	43	2.99	0.17	
						2005	1.50	4.00	44	2.99	0.20	
						2006	1.50	4.00	44	2.99	0.25	
1	I-90	008339	014.781	016.588	ASC	1997	3.10	3.80	33	3.44	0.13	
						1998	3.00	3.80	19	3.39	0.21	
						1999	3.00	3.80	37	3.39	0.20	
						2000	3.00	3.80	37	3.39	0.20	
						2001	3.10	3.80	37	3.44	0.24	
						2002	3.00	3.80	37	3.39	0.21	
						2003	3.10	3.80	29	3.44	0.27	MILL AND INLAY
						2004	3.70	5.00	29	4.33	0.04	2003
						2005	3.70	5.00	44	4.33	0.06	
						2006	3.70	4.40	44	4.04	0.09	
1	I-90	008339	014.781	016.588	DES	1997	3.30	4.00	34	3.64	0.10	
						1998	3.30	4.00	21	3.64	0.10	
						1999	3.10	4.00	41	3.54	0.11	
						2000	3.20	4.00	41	3.59	0.14	
						2001	3.30	4.00	41	3.64	0.17	
						2002	3.20	4.00	41	3.59	0.18	
						2003	3.20	4.00	29	3.59	0.19	MILL AND INLAY
						2004	3.90	5.00	29	4.43	0.04	2003
						2005	3.90	5.00	44	4.43	0.05	
						2006	3.90	4.80	44	4.34	0.07	

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT  
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----  
FINAL INDEX REPORT FOR 1997-2006

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL INDEX	RUT DEPTH	REMARKS
1	I-90	008339	016.588	020.280	ASC	1997	2.90	3.50	35	3.19	0.12	
						1998	2.90	3.50	22	3.19	0.14	
						1999	2.90	3.50	37	3.19	0.16	
						2000	2.90	3.50	37	3.19	0.17	
						2001	2.90	3.50	37	3.19	0.20	
						2002	3.00	3.50	37	3.24	0.19	
						2003	3.00	3.50	29	3.24	0.21	MILL AND INLAY
						2004	3.50	5.00	29	4.23	0.06	
						2005	3.60	5.00	44	4.28	0.06	
						2006	3.60	5.00	44	4.28	0.08	
1	I-90	008339	016.588	020.280	DES	1997	3.10	4.00	28	3.54	0.13	
						1998	3.10	4.00	18	3.54	0.16	
						1999	3.00	4.00	40	3.49	0.17	
						2000	3.00	4.00	40	3.49	0.18	
						2001	3.10	4.00	40	3.54	0.19	
						2002	3.20	4.00	40	3.59	0.19	
						2003	3.10	4.00	29	3.54	0.19	MILL AND INLAY
						2004	3.70	5.00	29	4.33	0.07	
						2005	3.60	5.00	44	4.28	0.08	
						2006	3.60	5.00	44	4.28	0.11	
1	U.S.-95	001539	412.976	413.465	ASC	2006	2.90	5.00	41	4.06	0.22	
1	U.S.-95	001539	412.976	413.465	DES	2006	3.50	5.00	41	4.32	0.16	
1	U.S.-95	001539	413.465	421.210	ASC	2004	3.70	5.00	45	4.41	0.07	
						2005	3.70	5.00	30	4.41	0.08	
						2006	3.30	5.00	41	4.23	0.09	
1	U.S.-95	001539	413.465	421.210	DES	2004	4.00	5.00	45	4.55	0.07	
						2005	4.00	5.00	30	4.55	0.07	
						2006	3.70	5.00	41	4.41	0.12	
1	U.S.-95	001539	421.210	423.270	N	1997	3.20	4.50	38	3.87	0.10	
						1998	3.20	3.00	38	3.09	0.13	
						1999	3.20	2.40	38	2.78	0.12	
						2000	3.20	2.40	38	2.78	0.12	
						*2001	3.20	2.40	47	2.78	0.14	
						*2002	3.30	2.40	47	2.83	0.16	COLD IN PLACE RECYCLE
						2003	3.70	5.00	40	4.37	0.08	PLANT MIX OVERLAY
						2004	3.70	5.00	45	4.37	0.08	
						2005	3.60	5.00	30	4.32	0.09	
						2006	3.70	5.00	41	4.37	0.10	

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT  
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----  
FINAL INDEX REPORT FOR 1997-2006

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT		REMARKS
										INDEX	DEPTH	
1	U.S.-95	001540	371.599	373.140	N	1997	3.50	4.50	27	4.02	0.21	
						1998	3.60	4.00	27	3.81	0.29	
						1999	3.50	4.00	41	3.76	0.33	
						2000	3.40	4.00	41	3.71	0.33	
						2001	3.50	4.00	41	3.76	0.35	
						2002	3.40	4.00	41	3.71	0.37	
						2003	3.40	2.60	49	2.98	0.39	
						*2004	3.10	2.60	49	2.83	0.36	
						2005	3.40	5.00	43	4.23	0.15	NEW CONST OR RECONST (FLEX)
						2006	3.80	5.00	43	4.42	0.08	2005
1	U.S.-95	001540	373.140	378.540	N	1997	3.50	4.50	27	4.02	0.21	
						1998	3.60	4.00	27	3.81	0.29	
						1999	3.50	4.00	41	3.76	0.33	
						2000	3.40	4.00	41	3.71	0.33	
						2001	3.50	4.00	41	3.76	0.35	
						2002	3.40	4.00	41	3.71	0.37	
						2003	3.40	2.60	49	2.98	0.39	
						*2004	3.10	2.60	49	2.83	0.36	
						2005	3.20	2.60	31	2.88	0.31	
						2006	3.20	3.00	31	3.09	0.39	
1	U.S.-95	001540	378.540	382.000	N	1997	3.60	5.00	33	4.37	0.08	
						1998	3.60	5.00	33	4.37	0.14	
						1999	3.60	5.00	32	4.37	0.16	
						2000	3.60	5.00	32	4.37	0.17	
						2001	3.60	5.00	36	4.37	0.18	
						2002	3.60	5.00	36	4.37	0.22	
						2003	3.60	4.90	36	4.31	0.25	
						2004	3.60	4.90	36	4.31	0.24	
						2005	3.60	4.90	27	4.31	0.23	
						2006	3.60	4.90	27	4.31	0.29	
1	U.S.-95	001540	382.000	389.500	N	1997	2.90	2.00	28	2.42	0.24	
						1998	3.00	2.00	28	2.47	0.30	
						1999	2.90	2.00	34	2.42	0.33	
						2000	2.90	2.00	34	2.42	0.34	
						*2001	3.00	3.00	43	3.00	0.34	
						2002	4.00	5.00	43	4.52	0.05	C.R.A.B.S.
						2003	3.90	5.00	43	4.47	0.11	
						2004	3.80	5.00	43	4.42	0.13	SEALCOAT
						2005	3.80	5.00	45	4.42	0.11	
						2006	3.80	5.00	45	4.42	0.18	2004

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT  
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----

FINAL INDEX REPORT FOR 1997-2006

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT		REMARKS
										INDEX	DEPTH	
1	U.S.-95	001540	389.500	390.200	N	1997	3.70	4.50	35	4.11	0.10	
						1998	3.70	4.50	35	4.11	0.16	
						1999	3.60	4.50	36	4.07	0.17	
						2000	3.60	4.50	36	4.07	0.19	
						*2001	3.70	4.50	41	4.11	0.22	
						2002	3.50	4.50	37	4.02	0.28	
						2003	3.40	4.50	37	3.97	0.33	
						2004	3.30	4.50	37	3.92	0.33	
						2005	3.40	4.50	35	3.97	0.28	
						2006	3.20	4.50	35	3.87	0.38	
1	U.S.-95	001540	390.200	391.500	N	1997	3.30	5.00	37	4.18	0.12	
						1998	3.40	5.00	37	4.23	0.17	
						1999	3.40	5.00	40	4.23	0.19	
						2000	3.30	4.80	40	4.08	0.18	
						2001	3.40	4.80	29	4.13	0.19	
						2002	3.30	4.80	29	4.08	0.26	
						2003	3.30	4.80	29	4.08	0.29	
						2004	3.20	4.80	29	4.03	0.24	
						2005	3.10	4.80	33	3.98	0.20	
						2006	3.20	4.80	33	4.03	0.29	
1	U.S.-95	001540	391.500	392.650	N	1997	3.80	4.00	41	3.90	0.08	
						1998	3.80	4.00	41	3.90	0.14	
						1999	3.80	4.00	40	3.90	0.14	
						2000	3.70	4.00	40	3.85	0.17	
						2001	3.80	4.00	35	3.90	0.19	
						2002	3.50	4.00	35	3.76	0.24	
						2003	3.50	4.00	35	3.76	0.24	
						2004	3.50	4.00	35	3.76	0.27	
						2005	3.50	4.00	31	3.76	0.25	
						2006	3.40	4.00	31	3.71	0.23	
1	U.S.-95	001540	392.650	393.800	N	1997	3.60	4.50	31	4.07	0.11	
						1998	3.70	4.50	31	4.11	0.17	
						1999	3.60	4.50	30	4.07	0.18	
						2000	3.50	4.50	30	4.02	0.21	
						2001	3.70	4.50	30	4.11	0.16	
						2002	3.40	4.50	30	3.97	0.24	
						2003	3.40	4.50	30	3.97	0.24	
						2004	3.30	4.50	30	3.92	0.26	
						2005	3.40	4.50	30	3.97	0.25	
						2006	3.10	4.50	30	3.83	0.29	

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT  
 ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----  
FINAL INDEX REPORT FOR 1997-2006

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT		REMARKS
										INDEX	DEPTH	
1	U.S.-95	001540	393.800	395.450	N	1997	3.60	4.00	28	3.81	0.11	
						1998	3.60	4.00	28	3.81	0.20	
						1999	3.60	4.00	31	3.81	0.20	
						2000	3.60	4.00	31	3.81	0.21	
						2001	3.60	4.00	32	3.81	0.24	
						2002	3.50	4.00	32	3.77	0.30	
						2003	3.50	4.00	32	3.77	0.31	
						2004	3.50	4.00	32	3.77	0.31	
						2005	3.40	4.00	29	3.72	0.36	
						2006	3.40	4.00	29	3.72	0.36	
1	U.S.-95	001540	395.730	396.018	N	1997	1.30	2.30	34	1.84	0.51	
						1998	1.90	2.20	34	2.06	0.34	
						1999	2.00	2.10	28	2.05	0.35	
						2000	1.70	2.10	28	1.91	0.39	
						2001	1.70	2.10	31	1.91	0.37	
						2002	1.80	2.10	31	1.96	0.27	
						2003	1.50	1.90	31	1.71	0.50	MAJOR WIDENING
						2004	2.00	5.00	31	3.64	0.12	
						2005	2.10	5.00	57	3.68	0.13	
						2006	1.90	5.00	57	3.59	0.18	
1	U.S.-95	001540	396.018	397.870	N	1997	3.70	5.00	50	4.37	0.10	
						1998	3.70	5.00	50	4.37	0.19	
						1999	3.70	5.00	30	4.37	0.22	
						2000	3.60	5.00	30	4.32	0.26	
						2001	3.70	5.00	28	4.37	0.22	
						2002	3.70	5.00	28	4.37	0.31	
						*2003	3.60	5.00	28	4.32	0.37	MAJOR WIDENING
						2004	3.30	5.00	26	4.18	0.07	
						2005	3.30	5.00	54	4.18	0.10	
						2006	3.30	5.00	54	4.18	0.15	
1	U.S.-95	001540	397.870	398.596	N	1997	3.70	5.00	50	4.37	0.10	
						1998	3.70	5.00	50	4.37	0.19	
						1999	3.70	5.00	30	4.37	0.22	
						2000	3.60	5.00	30	4.32	0.26	
						2001	3.70	5.00	28	4.37	0.22	
						2002	3.70	5.00	28	4.37	0.31	
						*2003	3.60	5.00	28	4.32	0.37	
						2004	3.60	5.00	31	4.32	0.29	
						2005	3.60	5.00	26	4.32	0.26	
						2006	3.60	5.00	26	4.32	0.43	

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT  
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----  
FINAL INDEX REPORT FOR 1997-2006

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT		REMARKS
										INDEX	DEPTH	
1	U.S.-95	001540	398.596	401.610	N	1997	3.50	5.00	53	4.27	0.10	
						1998	3.60	5.00	53	4.32	0.16	
						1999	3.60	5.00	31	4.32	0.17	
						2000	3.50	5.00	31	4.28	0.21	
						2001	3.60	5.00	25	4.32	0.26	
						2002	3.50	5.00	25	4.28	0.30	
						2003	3.50	5.00	25	4.28	0.32	
						2004	3.50	5.00	25	4.28	0.32	
						2005	3.50	5.00	29	4.28	0.32	
						2006	3.40	5.00	29	4.23	0.36	
1	U.S.-95	001540	401.610	402.128	N	1997	2.10	3.00	37	2.59	0.37	
						1998	2.60	3.00	37	2.81	0.25	
						1999	2.50	3.00	37	2.77	0.21	
						2000	2.50	2.30	37	2.39	0.27	
						2001	2.50	2.00	37	2.22	0.28	
						2002	2.90	2.00	37	2.40	0.26	
						2003	3.00	2.00	37	2.45	0.27	
						2004	3.00	2.00	37	2.45	0.30	
						2005	3.00	2.00	54	2.45	0.32	
						2006	2.90	2.00	54	2.40	0.21	
1	U.S.-95	001540	402.128	405.739	N	1997	3.30	4.00	36	3.66	0.31	
						1998	3.30	2.80	36	3.03	0.31	
						1999	3.30	2.80	38	3.03	0.36	
						2000	3.20	2.80	38	2.99	0.38	
						2001	3.30	2.40	39	2.83	0.36	
						2002	3.20	2.40	39	2.78	0.26	
						2003	3.20	2.40	39	2.78	0.39	
						2004	3.00	2.40	39	2.68	0.38	
						2005	3.00	2.40	51	2.68	0.29	
						2006	2.90	2.40	51	2.64	0.38	
1	U.S.-95	001540	405.739	411.000	N	1997	3.10	2.50	35	2.78	0.24	
						1998	3.10	2.50	35	2.78	0.25	
						*1999	3.00	2.50	42	2.73	0.32	
						2000	2.90	2.50	42	2.69	0.33	
						2001	3.00	2.50	46	2.73	0.30	
						2002	3.00	2.50	46	2.73	0.33	
						2003	2.90	2.40	46	2.63	0.35	
						2004	2.80	2.40	46	2.59	0.31	
						2005	2.80	2.40	37	2.59	0.29	
						2006	2.80	2.40	37	2.59	0.35	

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT  
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----  
FINAL INDEX REPORT FOR 1997-2006

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT		REMARKS						
										INDEX	DEPTH							
1	U.S.-95	001540	411.000	412.228	N	1997	3.10	2.50	35	2.78	0.24							
						1998	3.10	2.50	35	2.78	0.25							
						*1999	3.00	2.50	42	2.73	0.32							
						2000	3.40	5.00	45	4.23	0.28	NEW CONST OR RECONST (FLEX)						
						2001	3.30	5.00	49	4.18	0.27							
						2002	3.30	4.00	49	3.66	0.28							
						*2003	3.20	2.50	49	2.83	0.28							
						2004	3.30	2.50	50	2.88	0.28							
						2005	3.30	2.40	41	2.83	0.28							
						2006	3.20	2.30	41	2.73	0.36							
						1	U.S.-95	001540	423.270	426.500	N	1997	3.00	5.00	33	4.04	0.09	
												*1998	3.00	4.00	33	3.52	0.13	
1999	3.10	4.00	32	3.56	0.14													
2000	3.00	4.00	32	3.51	0.16													
2001	3.00	4.00	37	3.51	0.17													
*2002	3.10	4.00	37	3.56	0.18													
2003	4.00	5.00	36	4.51	0.04							PLANT MIX OVERLAY						
2004	4.10	5.00	36	4.56	0.06													
2005	4.00	5.00	43	4.51	0.06													
2006	4.00	5.00	43	4.51	0.09													
1	U.S.-95	001540	426.500	428.800	N							1997	3.00	5.00	33	4.04	0.09	
												*1998	3.00	4.00	33	3.52	0.13	
						1999	3.10	4.00	32	3.56	0.14							
						2000	3.00	4.00	32	3.51	0.16							
						2001	3.00	4.00	37	3.51	0.17							
						*2002	3.10	4.00	37	3.56	0.18							
						2003	3.60	4.00	45	3.80	0.18							
						2004	3.50	4.00	45	3.75	0.17							
						2005	3.50	4.00	36	3.75	0.19							
						2006	3.40	3.90	36	3.65	0.22							
						1	U.S.-95	001540	428.800	429.606	N	1997	2.40	3.50	37	2.96	0.13	
												1998	2.40	3.50	37	2.96	0.12	
1999	2.30	3.50	38	2.91	0.09													
2000	2.30	3.50	38	2.98	0.11													
2001	2.40	3.50	33	2.96	0.13													
2002	2.50	3.50	33	3.01	0.11													
2003	2.50	2.50	33	2.50	0.13													
2004	2.60	2.30	33	2.44	0.17													
2005	2.60	2.30	33	2.44	0.18													
2006	2.60	2.30	33	2.44	0.23													

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT  
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----

FINAL INDEX REPORT FOR 1997-2006

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT		REMARKS						
										INDEX	DEPTH							
1	U.S.-95	001540	429.606	429.882	N	1997	2.80	3.50	39	3.20	0.09							
						*1998	2.90	3.50	39	3.24	0.09							
						1999	2.60	3.50	33	3.11	0.13							
						2000	2.90	3.50	33	3.24	0.15							
						2001	2.80	3.50	33	3.19	0.16							
						2002	2.70	3.50	33	3.15	0.14							
						2003	2.80	2.60	33	2.68	0.15							
						2004	2.60	2.50	33	2.54	0.16							
						2005	2.60	2.40	33	2.48	0.14							
						2006	2.40	2.40	33	2.40	0.21							
						1	U.S.-95	001540	429.882	430.629	N	1997	3.30	3.50	35	3.40	0.06	
												*1998	3.00	3.50	35	3.26	0.08	
1999	2.40	3.50	52	2.99	0.14													
2000	2.40	3.50	52	2.99	0.14													
2001	2.40	3.50	55	2.99	0.16													
2002	2.50	3.50	55	3.04	0.14													
2003	2.30	2.30	55	2.30	0.20													
2004	2.60	2.30	55	2.43	0.18													
2005	2.60	2.30	58	2.43	0.19													
2006	2.30	2.30	58	2.30	0.30													
1	U.S.-95	001540	430.629	431.070	ASC							1997	3.30	4.50	39	3.94	0.08	
												1998	3.00	4.50	39	3.80	0.11	
						1999	2.80	4.50	49	3.70	0.22							
						2000	2.80	4.50	49	3.71	0.23							
						2001	3.00	4.50	43	3.80	0.21							
						2002	2.80	4.00	43	3.43	0.28							
						2003	2.80	4.00	43	3.43	0.27							
						2004	2.80	4.00	43	3.43	0.38							
						2005	2.60	3.60	44	3.13	0.40							
						2006	2.70	3.60	44	3.17	0.44							
						1	U.S.-95	001540	430.629	431.070	DES	1997	3.30	4.50	39	3.94	0.08	
												1998	4.10	4.50	39	4.31	0.18	
1999	4.10	4.50	49	4.31	0.25													
2000	4.40	4.50	49	4.45	0.27													
2001	4.00	4.50	55	4.26	0.29													
2002	3.90	4.50	55	4.21	0.33													
2003	2.80	4.50	55	3.69	0.27													
2004	2.80	3.70	55	3.27	0.40													
2005	2.80	3.70	44	3.27	0.43													
2006	2.50	3.70	44	3.13	0.39													

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT  
 ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----

FINAL INDEX REPORT FOR 1997-2006

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT		REMARKS						
										INDEX	DEPTH							
1	U.S.-95	001540	431.070	432.786	ASC	1997	3.60	4.50	28	4.08	0.16							
						1998	3.70	4.50	28	4.12	0.18							
						1999	3.60	4.50	33	4.07	0.28							
						2000	3.70	4.50	33	4.12	0.29							
						2001	3.60	4.50	35	4.08	0.33							
						2002	3.60	4.00	35	3.81	0.35							
						2003	3.60	4.00	35	3.81	0.36							
						2004	3.60	4.00	35	3.81	0.44							
						2005	3.50	4.00	30	3.76	0.43							
						2006	3.40	4.00	30	3.71	0.47							
						1	U.S.-95	001540	431.070	432.786	DES	1997	3.60	4.50	34	4.08	0.17	
												1998	3.50	4.50	34	4.03	0.22	
1999	3.50	4.50	35	4.03	0.30													
2000	3.60	4.50	35	4.08	0.30													
2001	3.50	4.50	32	4.03	0.35													
2002	3.50	4.50	32	4.03	0.39													
2003	3.50	4.50	32	4.03	0.43													
2004	3.50	4.50	32	4.02	0.46													
2005	3.50	4.50	40	4.02	0.44													
2006	3.40	4.30	40	3.87	0.54													
1	U.S.-95	001540	432.786	433.796	ASC							1997	3.80	5.00	32	4.44	0.15	
												1998	3.70	4.80	32	4.29	0.20	
						1999	3.80	4.80	38	4.33	0.22							
						2000	3.80	4.80	38	4.33	0.26							
						2001	3.90	4.80	40	4.38	0.29							
						2002	3.70	4.80	40	4.28	0.34							
						2003	3.70	4.80	40	4.28	0.36							
						2004	3.70	4.80	40	4.28	0.37							
						2005	3.50	2.60	38	3.01	0.37							
						2006	3.60	2.60	38	3.06	0.43							
						1	U.S.-95	001540	432.786	433.796	DES	1997	3.80	4.00	27	3.90	0.12	
												1998	3.70	4.00	27	3.86	0.17	
1999	3.70	4.00	29	3.86	0.25													
2000	3.80	4.00	29	3.90	0.25													
2001	3.70	4.00	26	3.86	0.33													
2002	3.70	4.00	26	3.86	0.30													
2003	3.70	4.00	26	3.86	0.36													
2004	3.70	4.00	26	3.86	0.35													
2005	3.60	4.00	25	3.81	0.42													
2006	3.60	4.00	25	3.81	0.49													

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT  
 ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----

FINAL INDEX REPORT FOR 1997-2006

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT		REMARKS
										INDEX	DEPTH	
1	U.S.-95	001540	433.796	435.805	ASC	1997	3.70	5.00	30	4.40	0.12	
						1998	3.70	5.00	30	4.40	0.22	
						1999	3.70	5.00	39	4.40	0.22	
						2000	3.60	4.50	39	4.08	0.25	
						2001	3.70	4.50	40	4.13	0.29	
						2002	3.60	4.50	40	4.08	0.30	
						2003	3.60	3.20	40	3.38	0.36	
						2004	3.60	2.70	40	3.11	0.28	
						2005	3.60	2.70	33	3.11	0.33	
						2006	3.30	2.70	33	2.97	0.39	
1	U.S.-95	001540	433.796	435.805	DES	1997	3.70	4.00	29	3.86	0.15	
						1998	3.70	4.00	29	3.86	0.19	
						1999	3.70	4.00	32	3.86	0.27	
						2000	3.70	4.00	32	3.86	0.25	
						2001	3.70	4.00	38	3.86	0.32	
						2002	3.70	4.00	38	3.86	0.33	
						2003	3.60	4.00	38	3.81	0.35	
						2004	3.70	4.00	38	3.86	0.33	
						2005	3.60	4.00	28	3.81	0.41	
						2006	3.60	3.90	28	3.76	0.47	
1	U.S.-95	001540	435.805	436.272	ASC	1997	3.30	4.50	34	3.95	0.06	
						1998	3.20	4.50	34	3.90	0.12	
						1999	3.10	3.30	33	3.20	0.18	
						2000	3.00	3.30	33	3.16	0.21	
						2001	3.10	3.30	33	3.20	0.23	
						2002	3.00	3.30	33	3.16	0.22	
						2003	3.00	3.30	38	3.16	0.27	
						2004	3.10	2.90	38	2.99	0.11	
						2005	3.00	2.80	40	2.89	0.26	
						2006	2.90	2.80	40	2.84	0.39	
1	U.S.-95	001540	435.805	436.272	DES	1997	3.30	4.50	38	3.95	0.06	
						1998	3.70	4.50	38	4.13	0.15	
						1999	3.60	4.50	45	4.08	0.22	
						2000	3.50	4.50	45	4.04	0.27	
						2001	3.50	4.50	46	4.03	0.30	
						2002	3.20	4.50	46	3.90	0.36	
						2003	3.30	4.50	46	3.94	0.40	
						2004	3.30	4.30	46	3.84	0.42	
						2005	3.30	4.30	43	3.84	0.38	
						2006	3.20	4.30	43	3.79	0.42	

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT  
 ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----  
FINAL INDEX REPORT FOR 1997-2006

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT		REMARKS
										INDEX	DEPTH	
1	U.S.-95	001540	436.272	438.925	N	1997	3.40	4.50	36	3.95	0.14	
						1998	3.30	4.50	36	3.90	0.21	
						1999	3.30	4.50	43	3.90	0.22	
						2000	3.30	4.50	43	3.90	0.29	
						2001	3.30	4.50	46	3.90	0.33	
						2002	3.20	4.50	46	3.85	0.38	
						2003	3.20	4.50	46	3.85	0.39	
						2004	3.10	3.30	46	3.20	0.44	
						2005	3.50	3.30	38	3.39	0.31	
						2006	3.40	3.30	38	3.34	0.36	
1	U.S.-95	001540	438.925	441.000	N	1997	3.30	5.00	38	4.16	0.12	
						1998	3.20	5.00	38	4.11	0.15	
						1999	3.20	5.00	49	4.11	0.17	
						2000	3.10	4.80	49	3.96	0.21	
						2001	3.30	3.20	46	3.24	0.25	
						2002	3.30	3.20	46	3.24	0.27	
						2003	3.20	3.20	46	3.20	0.28	
						2004	3.20	3.20	46	3.20	0.31	
						2005	3.30	3.20	52	3.24	0.29	
						2006	3.30	2.70	52	2.99	0.36	
1	U.S.-95	001540	441.000	443.404	N	1997	4.00	5.00	37	4.51	0.04	
						*1998	3.90	5.00	37	4.46	0.08	
						1999	3.80	5.00	47	4.41	0.13	
						2000	3.70	5.00	47	4.36	0.11	
						2001	3.80	5.00	46	4.41	0.14	
						2002	3.40	5.00	46	4.21	0.16	
						2003	3.40	5.00	46	4.21	0.17	
						2004	3.40	5.00	46	4.21	0.16	
						2005	3.50	4.80	44	4.15	0.14	
						2006	3.30	4.80	44	4.06	0.22	
1	U.S.-95	001540	443.404	444.866	N	1997	4.00	5.00	37	4.51	0.04	
						*1998	3.90	5.00	37	4.46	0.08	
						1999	4.00	5.00	47	4.51	0.08	
						2000	4.00	5.00	47	4.50	0.10	
						2001	4.10	5.00	45	4.55	0.14	
						2002	3.90	5.00	45	4.45	0.15	
						2003	3.60	5.00	45	4.31	0.22	
						2004	3.70	4.80	45	4.25	0.21	
						2005	3.70	4.80	43	4.25	0.21	
						2006	3.70	4.80	43	4.25	0.24	

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT  
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----  
FINAL INDEX REPORT FOR 1997-2006

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT		REMARKS
										INDEX	DEPTH	
1	U.S.-95	001540	444.866	451.135	N	1997	3.80	5.00	37	4.41	0.06	
						*1998	3.70	5.00	37	4.36	0.10	
						1999	3.80	5.00	47	4.41	0.11	
						2000	3.70	4.80	47	4.26	0.12	
						*2001	3.80	3.00	43	3.38	0.13	
						2002	3.60	3.00	43	3.29	0.13	
						2003	3.50	3.00	43	3.24	0.15	
						2004	3.50	3.00	43	3.24	0.14	
						2005	3.50	3.00	51	3.24	0.16	
						2006	3.50	3.00	51	3.24	0.20	
1	U.S.-95	001540	451.135	454.000	N	1997	3.50	3.00	37	3.24	0.14	
						1998	3.40	3.00	37	3.19	0.17	
						1999	3.40	3.00	40	3.19	0.11	
						2000	3.50	3.00	40	3.24	0.17	
						2001	3.60	3.00	37	3.29	0.20	
						2002	3.70	5.00	37	4.37	0.05	MILL INLAY AND OVERLAY
						2003	3.50	5.00	37	4.27	0.10	
						2004	3.60	5.00	37	4.32	0.10	
						2005	3.60	5.00	50	4.32	0.10	
						2006	3.80	5.00	47	4.41	0.14	
1	U.S.-95	001540	454.000	458.580	N	1997	3.80	2.90	36	3.33	0.17	
						1998	3.80	2.90	36	3.33	0.25	
						1999	3.60	2.90	43	3.23	0.18	
						2000	3.70	2.90	43	3.28	0.21	
						*2001	3.80	2.90	37	3.33	0.21	
						2002	3.90	5.00	35	4.46	0.02	MILL INLAY AND OVERLAY
						2003	3.80	5.00	35	4.41	0.06	
						2004	3.90	5.00	35	4.46	0.06	
						2005	3.90	5.00	59	4.46	0.07	
						2006	3.90	5.00	59	4.46	0.09	
1	U.S.-95	001540	458.580	461.070	N	1997	3.50	5.00	36	4.27	0.04	
						1998	3.50	5.00	36	4.27	0.07	
						1999	3.50	5.00	45	4.27	0.06	
						2000	3.50	4.10	45	3.80	0.08	
						2001	3.50	4.10	46	3.80	0.08	
						2002	3.40	4.10	46	3.76	0.08	
						2003	3.40	5.00	46	4.22	0.11	MILL AND INLAY
						2004	3.80	5.00	46	4.41	0.07	
						2005	3.80	5.00	45	4.41	0.07	
						2006	3.80	5.00	45	4.41	0.09	

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT  
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----  
FINAL INDEX REPORT FOR 1997-2006

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT		REMARKS
										INDEX	DEPTH	
1	U.S.-95	001540	461.070	463.742	N	1997	3.50	2.80	32	3.13	0.32	
						1998	3.50	2.80	32	3.13	0.37	
						1999	3.50	2.80	38	3.13	0.36	
						2000	3.70	2.80	38	3.23	0.43	
						2001	3.80	2.80	38	3.28	0.43	
						2002	3.60	2.80	38	3.18	0.44	
						2003	3.50	5.00	38	4.27	0.49	MILL AND INLAY
						2004	4.00	5.00	38	4.51	0.08	
						2005	4.00	5.00	48	4.51	0.08	
						2006	4.00	5.00	48	4.51	0.14	
1	U.S.-95	001540	463.742	464.516	N	1997	3.20	2.30	34	2.73	0.33	
						1998	3.10	2.30	34	2.68	0.41	
						1999	3.10	2.30	42	2.68	0.43	
						2000	3.30	2.30	42	2.78	0.46	
						2001	3.20	2.30	42	2.73	0.42	
						*2002	3.10	2.30	42	2.68	0.40	
						2003	3.00	5.00	44	4.02	0.38	MILL AND INLAY
						2004	4.00	5.00	44	4.51	0.05	
						2005	4.00	5.00	42	4.51	0.07	
						2006	3.90	5.00	42	4.46	0.12	
1	U.S.-95	001540	464.516	465.767	N	1997	3.20	2.30	34	2.73	0.33	
						1998	3.10	2.30	34	2.68	0.41	
						1999	3.10	2.30	42	2.68	0.43	
						2000	3.30	2.30	42	2.78	0.46	
						2001	3.20	2.30	42	2.73	0.42	
						*2002	3.10	2.30	42	2.68	0.40	
						2003	3.10	1.90	35	2.48	0.32	
						2004	2.60	1.90	35	2.24	0.31	
						2005	3.50	5.00	55	4.26	0.07	
						2006	3.40	5.00	55	4.22	0.11	
1	U.S.-95	001540	465.767	466.100	N	1997	3.60	2.00	37	2.77	0.29	
						1998	3.60	2.00	37	2.77	0.29	
						1999	3.60	2.00	33	2.77	0.37	
						2000	3.60	2.00	33	2.77	0.41	
						2001	3.90	5.00	38	4.46	0.26	
						*2002	3.70	5.00	38	4.36	0.24	
						2003	3.50	5.00	45	4.26	0.16	
						2004	3.40	5.00	45	4.22	0.20	
						2005	3.50	5.00	41	4.26	0.16	
						2006	3.40	4.70	41	4.06	0.19	

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT  
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----  
FINAL INDEX REPORT FOR 1997-2006

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT		REMARKS
										INDEX	DEPTH	
1	U.S.-95	001540	466.100	467.800	N	1997	3.50	3.00	34	3.24	0.34	
						1998	3.50	3.00	34	3.24	0.39	
						1999	3.50	3.00	35	3.24	0.38	
						2000	3.60	3.00	35	3.29	0.46	
						2001	3.80	3.00	48	3.38	0.09	
						2002	3.50	3.00	48	3.24	0.16	
						2003	3.50	5.00	48	4.26	0.19	
						2004	3.40	5.00	48	4.21	0.24	
						2005	3.40	5.00	46	4.21	0.24	
						2006	3.30	5.00	46	4.16	0.27	
1	U.S.-95	001540	467.800	468.100	N	1997	3.80	3.00	32	3.38	0.12	
						1998	3.80	3.00	32	3.38	0.18	
						1999	3.60	3.00	48	3.29	0.19	
						2000	3.80	3.00	48	3.38	0.15	
						2001	3.40	5.00	45	4.22	0.07	MILL INLAY AND OVERLAY
						2002	3.20	5.00	45	4.12	0.10	
						2003	3.10	5.00	45	4.07	0.13	
						2004	3.10	5.00	45	4.06	0.11	
						2005	3.10	5.00	46	4.06	0.14	
						2006	3.00	5.00	46	4.02	0.18	
1	U.S.-95	001540	468.100	469.750	N	1997	3.20	2.90	33	3.04	0.09	
						1998	3.10	2.90	33	2.99	0.17	
						1999	3.10	2.90	42	2.99	0.17	
						2000	3.20	2.50	42	2.84	0.18	
						2001	4.00	5.00	43	4.51	0.06	MILL INLAY AND OVERLAY
						2002	3.80	5.00	43	4.41	0.13	
						2003	3.70	5.00	43	4.36	0.11	
						2004	3.70	5.00	43	4.35	0.12	
						2005	3.70	5.00	45	4.35	0.17	
						2006	3.60	5.00	45	4.30	0.15	
1	U.S.-95	001540	469.750	471.743	N	1997	3.10	3.00	27	3.04	0.29	
						1998	3.10	3.00	27	3.04	0.35	
						1999	3.10	3.00	33	3.04	0.40	
						*2000	3.10	3.00	33	3.04	0.47	
						2001	3.90	5.00	42	4.46	0.07	MILL INLAY AND OVERLAY
						2002	3.60	5.00	42	4.31	0.14	
						2003	3.50	5.00	42	4.26	0.17	
						2004	3.50	5.00	42	4.26	0.24	
						2005	3.50	5.00	43	4.26	0.24	
						2006	3.40	5.00	45	4.20	0.29	

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT  
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----

FINAL INDEX REPORT FOR 1997-2006

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT		REMARKS
										INDEX	DEPTH	
1	U.S.-95	001540	471.743	472.862	N	1997	2.60	2.00	21	2.29	0.07	
						1998	2.50	2.00	21	2.24	0.11	
						1999	2.60	2.00	28	2.29	0.12	
						2000	2.60	2.00	28	2.29	0.13	
						2001	2.60	3.30	30	2.95	0.14	
						2002	2.60	3.30	30	2.95	0.10	
						2003	2.50	3.30	30	2.90	0.17	
						2004	2.40	2.50	30	2.45	0.14	
						2005	2.50	2.50	30	2.50	0.18	
						2006	2.40	2.50	30	2.45	0.17	
1	U.S.-95	001540	472.862	474.001	N	1997	3.10	5.00	44	4.17	0.12	
						1998	3.00	5.00	44	4.12	0.17	
						1999	2.90	5.00	48	4.08	0.19	
						2000	2.90	5.00	48	4.07	0.27	
						2001	3.30	5.00	44	4.25	0.12	
						2002	3.20	4.50	44	3.92	0.19	
						2003	3.10	4.50	44	3.88	0.17	
						2004	2.90	4.50	44	3.79	0.21	
						2005	3.00	4.50	47	3.84	0.22	
						2006	2.70	4.50	47	3.70	0.25	
1	U.S.-95	001540	474.001	474.242	N	1997	2.50	5.00	41	3.89	0.09	
						1998	2.40	5.00	41	3.84	0.15	
						1999	2.10	4.50	41	3.43	0.16	
						2000	2.40	2.40	41	2.40	0.22	
						2001	2.00	2.40	44	2.22	0.22	
						2002	1.90	2.40	44	2.17	0.25	
						2003	2.10	2.40	44	2.26	0.26	
						2004	2.00	2.30	44	2.16	0.27	
						2005	2.00	1.90	47	1.94	0.32	
						2006	1.80	1.90	47	1.85	0.27	
1	U.S.-95	001540	474.242	474.716	N	1997	2.90	5.00	55	4.24	0.13	
						1998	2.50	5.00	55	4.10	0.17	
						1999	2.50	4.50	55	3.78	0.19	
						2000	2.60	4.50	55	3.67	0.20	
						2001	2.50	4.50	44	3.63	0.20	
						2002	2.20	4.00	44	3.22	0.13	
						2003	2.30	2.40	44	2.35	0.17	
						2004	2.20	2.00	44	2.08	0.23	
						2005	2.00	2.00	64	2.00	0.20	
						2006	1.70	2.00	64	1.87	0.30	

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT  
 ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----  
FINAL INDEX REPORT FOR 1997-2006

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT		REMARKS
										INDEX	DEPTH	
1	U.S.-95	001540	474.716	475.000	N	1997	2.70	5.00	49	3.97	0.20	
						1998	2.20	4.80	49	3.64	0.18	
						1999	2.10	2.70	40	2.43	0.32	
						2000	2.20	2.70	40	2.47	0.34	
						2001	2.30	2.70	48	2.51	0.31	
						2002	2.50	5.00	48	3.87	0.03	
						2003	2.40	5.00	48	3.83	0.04	
						2004	2.40	5.00	48	3.83	0.02	
						2005	2.50	5.00	37	3.88	0.02	
						2006	2.50	5.00	37	3.88	0.02	
1	U.S.-95	001540	475.000	475.430	N	1997	2.50	5.00	39	3.90	0.22	
						1998	2.30	5.00	39	3.80	0.28	
						1999	2.20	3.00	39	2.64	0.36	
						2000	2.00	2.40	39	2.22	0.49	
						2001	1.90	2.40	48	2.17	0.53	
						2002	3.10	2.40	48	2.71	0.05	
						2003	3.10	5.00	48	4.14	0.09	
						2004	3.10	5.00	48	4.15	0.10	
						2005	3.00	5.00	37	4.09	0.08	
						2006	3.20	5.00	37	4.19	0.15	
1	U.S.-95	001540	475.430	475.731	N	1997	2.90	5.00	44	3.96	0.08	
						1998	3.00	5.00	44	4.00	0.08	
						1999	2.70	4.00	48	3.34	0.11	
						2000	2.30	2.40	48	2.35	0.09	
						2001	2.40	2.40	45	2.40	0.22	
						2002	3.50	2.40	45	2.92	0.05	
						2003	3.50	5.00	45	4.28	0.10	
						2004	3.40	5.00	45	4.23	0.17	
						2005	3.20	5.00	37	4.13	0.19	
						2006	3.10	5.00	37	4.09	0.21	
1	U.S.-95	001540	475.731	476.000	N	1997	2.50	1.90	38	2.19	0.25	
						1998	2.30	1.90	38	2.09	0.16	
						1999	2.40	5.00	38	3.72	0.12	PLANT MIX OVERLAY
						2000	2.60	5.00	38	3.88	0.09	
						2001	2.90	5.00	45	4.02	0.13	
						2002	2.30	5.00	45	3.74	0.15	
						2003	2.30	4.80	45	3.64	0.15	
						2004	2.20	4.80	45	3.59	0.16	
						2005	2.00	4.80	36	3.49	0.17	
						2006	2.00	4.80	36	3.49	0.12	

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT  
ENDING MILEPOINT, DIRECTION, AND YEAR

1999

----HISTORICAL PAVEMENT CONDITIONS----  
FINAL INDEX REPORT FOR 1997-2006

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT		REMARKS							
										INDEX	DEPTH								
1	U.S.-95	001540	476.000	477.010	N	1997	2.30	4.00	22	3.17	0.48	PLANT MIX OVERLAY  1999							
						*1998	2.50	4.00	22	3.26	0.47								
							3.30	4.00	30	3.65	0.14								
							3.20	4.00	30	3.63	0.17								
							3.10	4.00	20	3.58	0.24								
							3.20	4.00	20	3.63	0.28								
							3.10	4.00	20	3.58	0.35								
							3.20	4.00	20	3.63	0.41								
							3.00	4.00	32	3.54	0.42								
							3.00	4.00	32	3.54	0.48								
							1997	2.30	4.00	22	3.17		0.48						
							*1998	2.50	4.00	22	3.26		0.47						
1	U.S.-95	001540	477.010	477.380	N	1999	3.10	4.00	30	3.56	0.31								
						2000	3.10	2.40	30	2.72	0.37								
						2001	3.10	2.40	20	2.72	0.41								
						2002	2.80	2.40	20	2.58	0.36								
						2003	2.70	2.40	20	2.53	0.46								
						2004	2.60	2.30	20	2.43	0.52								
						2005	2.60	2.30	32	2.43	0.49								
						2006	2.40	2.30	32	2.34	0.60								
						1	U.S.-95	001540	477.380	481.560	N		1997	3.10	5.00	34	4.08	0.19	
													1998	3.60	5.00	34	4.32	0.19	
													1999	3.60	5.00	30	4.32	0.24	
													2000	3.70	5.00	30	4.37	0.26	
2001	3.70	5.00	27	4.37	0.24														
2002	3.60	5.00	27	4.32	0.23														
2003	3.50	5.00	27	4.27	0.24														
2004	3.50	4.50	27	4.01	0.23														
2005	3.60	4.50	24	4.06	0.24														
2006	3.50	4.00	24	3.75	0.27														
1	U.S.-95	001540	481.840	483.730	N							*1997	2.70	5.00	35	3.89	0.18		
												*1998	3.10	5.00	33	4.08	0.19		
							3.10	5.00	35	4.08	0.17								
							3.20	5.00	35	4.13	0.16								
							3.20	5.00	35	4.13	0.19								
							3.20	5.00	35	4.13	0.20								
							3.20	5.00	27	4.13	0.21								
							3.20	5.00	27	4.13	0.22								
							3.20	5.00	22	4.12	0.22								
							3.20	5.00	22	4.12	0.28								

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT  
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----  
FINAL INDEX REPORT FOR 1997-2006

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT		REMARKS	
										INDEX	DEPTH		
1	U.S.-95	001540	484.374	486.550	N	1997	3.40	1.50	34	2.41	0.29		
						*1998	3.70	5.00	34	4.37	0.05		
						1999	3.00	4.00	30	3.52	0.20		
						2000	2.90	3.40	30	3.15	0.19		
						2001	3.10	3.30	36	3.20	0.17		
						2002	3.00	3.30	36	3.15	0.17		
						2003	3.00	3.30	36	3.15	0.19		
						2004	3.00	3.00	36	3.00	0.19		
						2005	3.00	2.40	45	2.68	0.18		
						2006	3.00	2.40	45	2.69	0.22		
1	U.S.-95	001540	486.550	491.771	N	1997	3.40	1.50	34	2.41	0.29		
						*1998	3.70	5.00	34	4.37	0.05	PLANT MIX OVERLAY	1999
						1999	3.90	4.60	51	4.26	0.04		
						2000	3.90	4.60	51	4.26	0.07		
						2001	3.90	4.60	41	4.26	0.07	C.R.A.B.S.	2001
						2002	3.80	4.60	41	4.21	0.11		
						2003	3.80	4.60	41	4.21	0.13		
						2004	3.80	4.60	41	4.21	0.16		
						2005	3.70	4.60	35	4.16	0.13		
						2006	3.80	4.60	35	4.21	0.22		
1	U.S.-95	001540	491.771	496.920	N	1997	3.30	2.00	43	2.62	0.17		
						1998	3.20	2.00	43	2.57	0.18		
						1999	3.20	2.00	40	2.57	0.21		
						*2000	3.20	2.00	40	2.57	0.24		
						2001	3.30	5.00	42	4.19	0.26	C.R.A.B.S.	2001
						2002	3.60	5.00	42	4.33	0.11		
						2003	3.80	5.00	42	4.42	0.11		
						2004	3.80	5.00	42	4.42	0.13		
						2005	3.80	5.00	56	4.42	0.11		
						2006	3.80	5.00	56	4.42	0.14		
1	U.S.-95	001540	496.920	499.823	N	1997	3.50	5.00	40	4.27	0.15		
						1998	3.30	5.00	40	4.18	0.20		
						1999	3.50	5.00	39	4.28	0.24		
						*2000	3.60	5.00	39	4.32	0.27		
						2001	3.70	5.00	35	4.37	0.23		
						2002	3.30	4.50	35	3.92	0.28		
						2003	3.40	4.50	35	3.97	0.26		
						2004	3.40	4.50	35	3.97	0.29		
						2005	3.40	4.50	47	3.97	0.27		
						2006	3.30	4.40	47	3.87	0.36		

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT  
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----

FINAL INDEX REPORT FOR 1997-2006

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL INDEX	RUT DEPTH	REMARKS
1	U.S.-95	001540	499.823	502.734	N	1997	3.40	4.50	31	3.97	0.08	
						1998	3.30	4.50	31	3.92	0.14	
						1999	3.30	4.50	39	3.92	0.18	
						2000	3.30	4.50	39	3.92	0.24	
						2001	3.30	4.50	34	3.92	0.22	
						2002	3.20	4.50	34	3.87	0.25	
						2003	3.20	4.50	34	3.87	0.22	
						2004	3.20	4.50	34	3.87	0.31	
						2005	3.20	4.50	31	3.87	0.29	
						2006	3.10	4.30	31	3.72	0.34	
1	U.S.-95	001540	502.734	504.000	N	1997	3.50	4.50	35	4.01	0.10	
						1998	3.60	4.50	35	4.06	0.13	
						1999	3.50	4.50	34	4.01	0.17	
						2000	3.60	4.50	34	4.06	0.19	
						2001	3.50	4.50	35	4.01	0.14	
						2002	3.40	4.50	35	3.97	0.26	
						2003	3.50	4.50	35	4.01	0.25	
						2004	3.50	4.50	35	4.01	0.29	
						2005	3.40	4.50	36	3.97	0.27	
						2006	3.40	4.50	36	3.97	0.31	
1	U.S.-95	001540	504.000	505.017	N	*1997	3.40	4.00	36	3.72	0.19	
						1998	3.40	4.00	37	3.72	0.25	
						1999	3.50	4.00	42	3.77	0.23	
						2000	3.50	3.50	42	3.50	0.28	
						2001	3.50	3.50	39	3.50	0.27	
						2002	3.50	3.50	39	3.50	0.32	
						2003	3.50	3.00	39	3.22	0.29	
						2004	3.50	3.00	39	3.22	0.32	
						2005	3.50	3.00	35	3.22	0.34	
						2006	3.40	2.40	35	2.85	0.36	
1	U.S.-95	001540	505.017	505.748	N	*1997	3.40	4.00	36	3.72	0.19	
						1998	3.00	4.00	33	3.54	0.25	
						1999	2.90	2.40	35	2.63	0.29	
						2000	3.00	2.30	35	2.62	0.32	
						2001	2.90	2.30	32	2.57	0.32	
						*2002	3.20	2.30	32	2.71	0.34	
						2003	3.20	2.30	32	2.71	0.37	
						2004	3.10	2.30	32	2.66	0.42	
						2005	3.10	2.30	63	2.66	0.42	
						2006	3.10	2.30	63	2.66	0.52	

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT  
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----  
FINAL INDEX REPORT FOR 1997-2006

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT		REMARKS
										INDEX	DEPTH	
1	U.S.-95	001540	505.748	505.861	N	*1997	3.40	4.00	36	3.72	0.19	
						1998	3.00	4.00	33	3.54	0.25	
						1999	2.90	2.40	35	2.63	0.29	
						2000	3.00	2.30	35	2.62	0.32	
						2001	2.90	2.30	32	2.57	0.32	
						*2002	3.20	2.30	32	2.71	0.34	
						2003	3.00	5.00	32	4.07	0.52	NEW CONST OR RECONST (FLEX)
						2004	3.20	5.00	32	4.17	0.35	
						2005	3.10	4.50	63	3.85	0.31	
						2006	3.00	3.50	63	3.26	0.43	
1	U.S.-95	001540	505.861	506.195	N	1997	3.10	4.00	37	3.58	0.32	
						1998	3.00	4.00	37	3.53	0.30	
						1999	2.90	4.00	29	3.48	0.40	
						2000	3.00	4.00	29	3.53	0.45	
						2001	3.00	4.00	27	3.53	0.50	
						*2002	2.90	3.80	27	3.38	0.42	
						2003	4.00	5.00	37	4.54	0.53	NEW CONST OR RECONST (FLEX)
						2004	2.80	5.00	37	3.98	0.24	
						2005	2.70	5.00	30	3.94	0.22	
						2006	2.80	5.00	30	3.98	0.29	
1	U.S.-95	001540	506.195	506.860	N	1997	3.10	4.00	37	3.58	0.32	
						1998	3.00	4.00	37	3.53	0.30	
						1999	2.90	4.00	29	3.48	0.40	
						2000	3.00	4.00	29	3.53	0.45	
						2001	3.00	4.00	27	3.53	0.50	
						*2002	2.90	3.80	27	3.38	0.42	
						2003	3.00	3.80	27	3.42	0.49	
						2004	2.80	3.40	27	3.12	0.45	
						2005	2.80	3.40	29	3.12	0.48	
						2006	2.60	2.40	29	2.49	0.57	
1	U.S.-95	001540	506.860	507.495	ASC	1997	1.40	3.00	39	2.27	0.23	
						1998	1.30	3.00	39	2.23	0.26	
						1999	1.40	3.00	32	2.27	0.28	
						2000	1.40	3.00	32	2.27	0.33	
						2001	1.30	3.00	42	2.23	0.32	
						2002	1.60	3.00	42	2.36	0.28	
						2003	1.60	3.00	42	2.36	0.32	
						2004	1.70	4.00	42	2.95	0.26	
						2005	1.70	4.00	33	2.96	0.26	
						2006	1.50	3.70	33	2.70	0.35	
1	U.S.-95	001540	506.860	507.495	DES	1997	1.40	3.00	34	2.27	0.23	
						1998	1.60	3.00	34	2.36	0.32	
						1999	1.80	3.00	34	2.45	0.34	
						2000	1.60	3.00	32	2.36	0.38	
						2001	1.70	3.00	42	2.41	0.41	
						2002	2.10	3.00	42	2.59	0.32	
						2003	2.10	3.00	42	2.59	0.27	

----HISTORICAL PAVEMENT CONDITIONS----  
FINAL INDEX REPORT FOR 1997-2006

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT INDEX DEPTH			REMARKS						
1	U.S.-95	001540	507.495	508.365	N	2004	2.00	3.00	42	2.54	0.37								
						2005	2.10	3.00	33	2.59	0.29								
						2006	1.90	3.00	33	2.50	0.43								
							1997	2.20	2.90	32	2.58	0.15							
							1998	2.10	2.90	32	2.53	0.15							
							*1999	1.90	2.90	38	2.44	0.16							
							2000	2.40	5.00	38	3.80	0.18							
							2001	2.30	5.00	43	3.76	0.16							
							2002	2.60	5.00	43	3.90	0.15							
							2003	2.80	5.00	43	3.99	0.22							
							2004	2.60	4.50	43	3.62	0.21							
							2005	2.70	4.20	41	3.51	0.20							
							2006	2.40	3.80	41	3.16	0.28							
						1	U.S.-95	001540	509.927	510.645	N	*1997	2.70	1.50	40	2.07	0.32	PLANT MIX OVERLAY	1997
1998	3.00	5.00	38	4.04	0.16														
*1999	3.00	5.00	47	4.04	0.15														
2000	4.20	5.00	31	4.61	0.05							NEW CONST OR RECONST (FLEX)	2000						
2001	4.00	5.00	51	4.52	0.07														
2002	3.90	5.00	51	4.47	0.09														
2003	3.90	5.00	51	4.47	0.09														
2004	3.90	5.00	51	4.47	0.11														
2005	3.90	5.00	30	4.46	0.11														
2006	3.80	5.00	30	4.41	0.16														
1	U.S.-95	001540	510.645	511.080	N							*1997	2.70	1.50	40	2.07	0.32		
												1998	3.30	1.80	37	2.51	0.21		
												*1999	3.50	5.00	65	4.28	0.14	C.R.A.B.S.	1999
												2000	4.40	5.00	35	4.71	0.03	NEW CONST OR RECONST (FLEX)	2000
						2001	3.90	5.00	53	4.47	0.06								
						2002	4.00	5.00	53	4.52	0.08								
						2003	3.90	5.00	53	4.47	0.05								
						2004	3.90	5.00	53	4.47	0.10								
						2005	3.90	5.00	38	4.47	0.07								
						2006	4.00	5.00	38	4.52	0.11								
						1	U.S.-95	001540	511.080	515.518	N	*1997	2.70	1.50	40	2.07	0.32		
												*1998	2.60	1.50	44	2.02	0.31		
												*1999	3.70	5.00	66	4.37	0.05	C.R.A.B.S.	1999
												2000	3.70	5.00	66	4.37	0.06	SEALCOAT	2000
2001	3.70	5.00	51	4.37	0.06														
2002	3.70	5.00	51	4.37	0.09														
2003	3.70	5.00	51	4.37	0.09														
2004	3.70	5.00	51	4.38	0.09														
2005	3.60	5.00	39	4.33	0.09														
2006	3.60	5.00	39	4.33	0.13														

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT  
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----  
FINAL INDEX REPORT FOR 1997-2006

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT		REMARKS
										INDEX	DEPTH	
1	U.S.-95	001540	515.518	517.850	N	1997	3.40	5.00	35	4.23	0.06	
						*1998	3.40	4.70	35	4.07	0.10	
						1999	3.30	5.00	43	4.18	0.12	
						2000	3.50	2.80	43	3.13	0.13	SEALCOAT
						*2001	3.30	2.80	57	3.03	0.09	
						2002	3.40	2.80	57	3.08	0.13	
						2003	3.40	2.80	57	3.08	0.16	
						2004	3.40	2.80	57	3.08	0.14	
						2005	3.40	2.80	42	3.08	0.17	
						2006	3.50	4.00	42	3.76	0.21	
1	U.S.-95	001540	517.850	518.340	N	1997	3.40	5.00	35	4.23	0.06	
						*1998	3.40	4.70	35	4.07	0.10	
						1999	3.30	5.00	43	4.18	0.12	
						2000	3.50	2.80	43	3.13	0.13	SEALCOAT
						*2001	3.30	2.80	57	3.03	0.09	
						2002	3.40	5.00	57	4.23	0.10	NEW CONST OR RECONST (FLEX)
						2003	2.90	5.00	57	3.99	0.12	
						2004	2.90	5.00	57	4.00	0.11	
						2005	2.80	5.00	48	3.95	0.07	
						2006	2.90	5.00	48	4.00	0.19	
1	U.S.-95	001540	519.250	521.862	N	1997	3.40	5.00	33	4.23	0.05	
						1998	3.40	5.00	33	4.24	0.06	
						1999	3.30	5.00	43	4.19	0.07	
						2000	3.40	4.50	43	3.97	0.08	SEALCOAT
						2001	3.30	4.50	55	3.92	0.07	
						2002	3.20	4.50	55	3.87	0.09	
						*2003	3.30	4.50	55	3.92	0.09	
						2004	3.10	3.40	56	3.25	0.11	
						2005	3.20	3.40	47	3.30	0.10	
						2006	3.20	3.40	47	3.30	0.15	
1	U.S.-95	001540	522.297	522.929	N	1997	2.40	5.00	41	3.76	0.23	
						1998	2.40	5.00	41	3.77	0.33	
						1999	2.40	4.50	53	3.50	0.30	
						2000	2.40	4.50	53	3.50	0.35	SEALCOAT
						2001	2.40	3.00	47	2.71	0.36	
						2002	2.50	3.00	47	2.76	0.41	
						*2003	2.50	2.40	47	2.44	0.44	

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT  
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----  
FINAL INDEX REPORT FOR 1997-2006

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT			REMARKS					
										INDEX	DEPTH							
1	U.S.-95	001540	525.971	527.000	N	1997	2.40	5.00	41	3.76	0.23							
						1998	2.40	5.00	41	3.77	0.33							
						1999	2.40	4.50	53	3.50	0.30							
						2000	2.40	4.50	53	3.50	0.35							
						2001	2.40	3.00	47	2.71	0.36							
						2002	2.50	3.00	47	2.76	0.41							
						*2003	2.50	2.40	47	2.44	0.44							
						2004	2.00	1.90	52	1.94	0.31							
						2005	3.90	5.00	43	4.48	0.09							
						2006	3.90	5.00	43	4.48	0.12							
						1	U.S.-95	001540	527.000	534.715	N	1997	3.10	2.50	49	2.78	0.29	
												1998	3.00	3.00	49	3.00	0.25	
1999	3.00	5.00	53	4.05	0.29													
2000	3.10	2.30	53	2.67	0.28													
2001	3.10	2.30	44	2.67	0.28													
2002	2.90	2.30	44	2.58	0.23													
2003	3.90	5.00	44	4.48	0.07													
2004	3.80	5.00	44	4.43	0.06							SEALCOAT	2004					
2005	3.80	5.00	48	4.43	0.07													
2006	3.70	5.00	48	4.38	0.09													
1	U.S.-95	001540	534.715	538.562	N							1997	3.10	3.50	49	3.32	0.27	
												1998	3.00	3.50	49	3.28	0.26	
						1999	2.90	5.00	53	4.07	0.28							
						2000	3.00	3.80	53	3.44	0.30							
						2001	2.90	3.80	44	3.40	0.28							
						2002	2.70	3.80	44	3.31	0.27							
						2003	3.20	3.80	44	3.53	0.19							
						2004	3.10	4.50	44	3.88	0.18	SEALCOAT	2004					
						2005	3.00	4.50	42	3.84	0.15							
						2006	3.50	4.50	42	4.06	0.18	NEW CONST OR RECONST (FLEX)	2006					
						1	U.S.-95	001590	028.515	028.725	N	1999	2.80	2.00	45	2.25	0.13	
												2000	3.20	2.00	45	2.52	0.15	
2001	2.70	2.00	44	2.30	0.34													
2002	2.00	5.00	44	3.68	0.25													
2003	2.20	5.00	44	3.77	0.25													
2004	2.00	5.00	44	3.68	0.09													
2005	2.10	5.00	64	3.72	0.20													
2006	1.80	5.00	64	3.59	0.20													

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT  
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----

FINAL INDEX REPORT FOR 1997-2006

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT		REMARKS
										INDEX	DEPTH	
1	U.S.-95	001591	000.000	000.250	N	1997	2.40	5.00	42	3.87	0.40	
						1998	2.40	5.00	42	3.87	0.41	
						1999	2.00	5.00	42	3.69	0.37	
						2000	2.10	4.20	42	3.28	0.50	
						2001	1.60	3.30	44	2.55	0.46	
						2002	2.30	3.30	44	2.86	0.37	
						2003	2.30	3.30	44	2.86	0.41	
						2004	2.30	3.30	44	2.86	0.25	
						2005	2.10	2.40	64	2.26	0.23	
						2006	1.10	2.40	64	1.83	0.30	
1	U.S.-95	016012	518.340	519.140	N	1997	3.30	5.00	35	4.18	0.16	
						1998	3.20	5.00	35	4.14	0.18	
						1999	3.20	5.00	43	4.14	0.17	
						2000	3.40	4.60	43	4.03	0.17	
						2001	3.20	4.60	57	3.93	0.17	
						2002	3.20	4.60	57	3.93	0.18	
						2003	3.10	4.60	57	3.88	0.19	
						2004	3.10	4.60	57	3.88	0.19	
						2005	3.10	4.60	48	3.88	0.17	
						2006	3.10	4.60	48	3.88	0.18	
1	U.S.-95	016039	481.560	481.840	N	1997	3.60	5.00	34	4.32	0.19	
						1998	4.10	5.00	34	4.56	0.28	
						1999	4.10	5.00	30	4.56	0.28	
						2000	4.10	5.00	30	4.56	0.34	
						2001	4.20	5.00	27	4.61	0.34	
						2002	3.90	5.00	27	4.46	0.34	
						2003	4.00	5.00	27	4.51	0.39	
						2004	4.00	5.00	27	4.51	0.32	
						2005	4.00	5.00	24	4.51	0.38	
						2006	4.00	5.00	24	4.51	0.26	
1	U.S.-95	016039	483.730	484.302	N	1997	3.20	5.00	35	4.12	0.18	
						1998	3.30	5.00	33	4.17	0.27	
						1999	3.20	5.00	35	4.12	0.28	
						2000	3.30	5.00	35	4.17	0.31	
						2001	3.30	5.00	29	4.17	0.30	
						2002	3.20	5.00	29	4.13	0.30	
						2003	3.20	5.00	29	4.13	0.37	
						2004	3.20	5.00	29	4.13	0.37	
						2005	3.10	5.00	22	4.08	0.31	
						2006	3.20	5.00	22	4.12	0.41	

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT  
 ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----  
FINAL INDEX REPORT FOR 1997-2006

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT			REMARKS						
										INDEX	DEPTH								
1	U.S.-95	027614	508.365	509.880	N	2001	4.10		43	4.10	0.06								
						2002	3.80	5.00	43	4.45	0.07								
						2003	3.80	5.00	43	4.45	0.08								
						2004	3.80	5.00	43	4.44	0.08								
						2005	3.80	5.00	41	4.44	0.09								
						2006	3.80	5.00	41	4.45	0.12								
1	U.S.-95	030860	521.862	525.627	N	2004	3.10	5.00	56	4.05	0.11	NEW CONST OR RECONST (FLEX)	2004						
						2005	3.50	5.00	47	4.34	0.08								
						2006	3.50	5.00	47	4.34	0.08								
1	S.H.-97	001790	060.628	067.030	N	1997	2.30	1.70	53	1.94	0.23								
						1998	2.10	1.70	53	1.86	0.24								
						*1999	2.00	1.70	57	1.82	0.27	C.R.A.B.S.	1999						
						2000	3.10	5.00	57	4.21	0.11	SEALCOAT	2000						
						2001	3.00	5.00	57	4.17	0.08								
						2002	3.10	5.00	57	4.21	0.10	SEALCOAT	2002						
						2003	3.20	5.00	44	4.25	0.09								
						2004	3.20	5.00	44	4.25	0.10								
						2005	3.20	5.00	42	4.25	0.09								
						2006	3.20	5.00	42	4.25	0.10								
						1	S.H.-97	001790	067.030	067.100	N	1997	2.00	1.50	49	1.70	0.27		
												1998	1.80	1.50	49	1.62	0.28		
*1999	1.80	1.50	57	1.62	0.28														
2000	1.60	1.70	57	1.65	0.33														
2001	1.60	1.70	57	1.65	0.34														
2002	1.90	5.00	57	3.72	0.34							SEALCOAT	2002						
*2003	1.90	4.20	44	3.25	0.30														
2004	3.20	4.20	44	3.78	0.10														
2005	3.20	4.20	42	3.78	0.09														
2006	3.20	4.20	42	3.78	0.10														
1	S.H.-97	001790	067.100	075.793	N							1997	1.70	1.30	50	1.46	0.31		
												1998	1.60	1.30	50	1.42	0.33		
						1999	1.50	1.30	60	1.38	0.35								
						2000	1.60	1.30	60	1.42	0.34								
						2001	1.70	1.30	60	1.46	0.34								
						2002	2.00	5.00	60	3.76	0.33	SEALCOAT	2002						
						*2003	2.00	3.90	44	3.11	0.32	PLANT MIX OVERLAY	2003						
						2004	3.40	5.00	44	4.33	0.06								
						2005	3.40	5.00	42	4.33	0.06								
						2006	3.40	5.00	42	4.33	0.06								

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT  
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----  
FINAL INDEX REPORT FOR 1997-2006

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT		REMARKS						
										INDEX	DEPTH							
1	S.H.-97	001790	075.793	081.500	N	1997	1.70	1.50	47	1.58	0.33							
						1998	1.60	1.50	47	1.54	0.34							
						1999	1.50	1.50	54	1.50	0.35							
						2000	1.60	1.50	54	1.54	0.33							
						2001	1.60	1.50	54	1.54	0.34							
						2002	2.00	5.00	54	3.76	0.30	SEALCOAT						
						*2003	2.00	5.00	44	3.76	0.28	PLANT MIX OVERLAY						
						2004	3.40	5.00	44	4.33	0.05							
						2005	3.40	5.00	42	4.33	0.05							
						2006	3.40	5.00	42	4.33	0.05							
						1	S.H.-97	001790	081.500	082.328	N	1997	1.70	1.50	47	1.58	0.33	
												1998	1.60	1.50	47	1.54	0.34	
1999	1.50	1.50	54	1.50	0.35													
2000	1.60	1.50	54	1.54	0.33													
2001	1.60	1.50	54	1.54	0.34													
2002	2.00	5.00	54	3.76	0.30							SEALCOAT						
*2003	2.00	5.00	44	3.76	0.28													
2004	3.10	5.00	44	4.21	0.15													
2005	3.10	5.00	42	4.21	0.14													
2006	3.10	5.00	42	4.21	0.14													
1	S.H.-97	001790	082.328	086.900	N							1997	1.50	1.80	49	1.67	0.31	
												1998	1.50	1.80	49	1.67	0.32	
						1999	1.40	1.80	43	1.63	0.33							
						*2000	1.50	1.80	43	1.67	0.33							
						2001	1.60	1.80	39	1.71	0.33							
						2002	1.80	5.00	39	3.67	0.31	SEALCOAT						
						2003	1.90	5.00	44	3.71	0.29							
						2004	3.10	5.00	44	4.21	0.16							
						2005	3.10	5.00	42	4.21	0.15							
						2006	3.10	5.00	42	4.21	0.16							
						1	S.H.-97	001790	086.900	091.810	N	1997	1.70	1.50	47	1.58	0.31	
												1998	1.70	1.50	47	1.58	0.32	
1999	1.70	1.50	56	1.58	0.37													
*2000	1.80	1.50	56	1.62	0.34													
2001	3.90	5.00	53	4.54	0.38							PLANT MIX OVERLAY						
2002	2.70	5.00	53	4.04	0.11													
2003	2.80	5.00	44	4.08	0.10													
2004	2.80	5.00	44	4.08	0.10													
2005	2.80	5.00	42	4.08	0.10													
2006	2.80	5.00	42	4.08	0.13													

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT  
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----  
FINAL INDEX REPORT FOR 1997-2006

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT		REMARKS
										INDEX	DEPTH	
1	S.H.-97	001790	091.810	093.400	N	1997	1.70	1.50	47	1.58	0.31	
						1998	1.70	1.50	47	1.58	0.32	
						1999	1.70	1.50	56	1.58	0.37	
						*2000	1.80	1.50	56	1.62	0.34	
							2.00	1.50	62	1.70	0.34	SEALCOAT
							2.10	5.00	62	3.80	0.26	
							0.90	5.00	44	3.30	0.35	
							2.00	5.00	44	3.75	0.38	
							1.90	4.60	42	3.48	0.37	
							1.80	4.60	42	3.44	0.46	
1	S.H.-97	001790	093.400	096.160	N	1997	1.70	1.50	47	1.58	0.31	
						1998	1.70	1.50	47	1.58	0.32	
						1999	1.70	1.50	56	1.58	0.37	
						*2000	1.80	1.50	56	1.62	0.34	
							3.40	5.00	54	4.33	0.18	PLANT MIX OVERLAY
							2.70	5.00	54	4.04	0.09	
							2.70	5.00	44	4.04	0.11	
							2.70	5.00	44	4.04	0.12	
							2.70	5.00	42	4.04	0.12	
							2.70	5.00	42	4.04	0.14	
1	S.H.-97	001790	096.160	096.429	N	1997	1.70	1.50	47	1.58	0.31	
						1998	1.70	1.50	47	1.58	0.32	
						1999	1.70	1.50	56	1.58	0.37	
						*2000	1.80	1.50	56	1.62	0.34	
							2.30	1.50	54	1.83	0.10	
							2.20	1.50	54	1.78	0.12	
							2.70	1.50	44	1.99	0.10	
							2.70	1.50	44	1.99	0.11	
							2.70	5.00	42	4.04	0.09	
							2.40	5.00	42	3.92	0.19	
1	S.H.-200	001610	029.740	030.290	N	*1997	2.60	1.40	37	1.94	0.34	
						*1998	2.50	4.50	39	3.59	0.24	
						1999	2.30	4.50	26	3.50	0.22	
							2.30	4.50	26	3.57	0.27	SEALCOAT
							2.20	4.40	51	3.47	0.27	
							2.30	4.40	51	3.51	0.30	
							2.30	4.40	51	3.51	0.36	
							2.20	4.40	51	3.46	0.29	
							2.30	4.40	42	3.50	0.23	
							2.00	4.40	42	3.36	0.26	

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT  
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----  
FINAL INDEX REPORT FOR 1997-2006

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT		REMARKS						
										INDEX	DEPTH							
1	S.H.-200	001610	030.290	031.610	N	*1997	2.60	1.40	37	1.94	0.34							
						*1998	2.50	4.50	39	3.59	0.24							
						1999	3.00	5.00	28	4.09	0.09	NEW CONST OR RECONST (FLEX)						
						2000	3.10	5.00	28	4.18	0.12	SEALCOAT						
						2001	3.00	5.00	43	4.14	0.11							
						2002	2.90	5.00	43	4.10	0.15							
						2003	3.00	4.90	43	4.08	0.17							
						2004	3.10	4.90	43	4.12	0.19							
						2005	3.00	4.90	42	4.08	0.23							
						2006	3.00	4.90	42	4.08	0.23							
						1	S.H.-200	001610	031.610	036.456	N	1997	2.40	1.80	29	2.06	0.58	C.R.A.B.S.
												*1998	3.40	5.00	29	4.28	0.05	
1999	3.20	5.00	45	4.18	0.07													
2000	3.20	5.00	45	4.18	0.09							SEALCOAT						
2001	3.20	5.00	53	4.19	0.08													
2002	3.30	4.80	53	4.12	0.10													
2003	3.30	4.80	53	4.12	0.12													
2004	3.20	4.00	53	3.63	0.12													
2005	3.20	3.10	42	3.14	0.13													
2006	3.00	3.10	42	3.05	0.15													
1	S.H.-200	001610	036.456	038.800	N							*1997	2.80	5.00	50	4.01	0.28	C.R.A.B.S.
												1998	2.80	2.60	50	2.68	0.29	
						*1999	2.80	2.40	46	2.57	0.32							
						2000	3.30	5.00	48	4.23	0.09	SEALCOAT						
						2001	3.20	5.00	57	4.19	0.07							
						2002	3.30	4.80	57	4.12	0.08							
						2003	3.30	4.80	57	4.12	0.09							
						2004	3.40	4.10	57	3.78	0.09							
						2005	3.30	4.10	42	3.73	0.09							
						2006	3.30	4.10	42	3.74	0.11							
						1	S.H.-200	001610	038.800	044.140	N	*1997	2.80	5.00	50	4.01	0.28	SEALCOAT
												1998	2.80	2.60	50	2.68	0.29	
*1999	2.80	2.40	46	2.57	0.32							C.R.A.B.S.						
2000	3.20	5.00	46	4.19	0.04							SEALCOAT						
2001	3.00	5.00	57	4.10	0.05													
2002	3.00	4.80	57	3.99	0.04													
2003	3.00	4.80	57	3.99	0.04													
2004	3.00	4.80	57	3.99	0.05													
2005	3.00	4.80	42	3.99	0.05													
2006	3.00	4.80	42	3.99	0.06													

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT  
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----  
FINAL INDEX REPORT FOR 1997-2006

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT			REMARKS
										INDEX	DEPTH		
1	S.H.-200	001610	044.140	052.000	N	1997	3.20	2.90	50	3.03	0.11	SEALCOAT	1997
						1998	3.30	2.90	50	3.07	0.11		
						1999	3.20	2.90	49	3.03	0.13		
						2000	3.20	2.90	49	3.03	0.13	SEALCOAT	
						2001	3.30	2.90	48	3.07	0.14		
						2002	3.10	2.90	48	2.98	0.16		
						2003	3.10	2.90	48	2.98	0.17		
						2004	3.10	2.90	48	2.98	0.17	SEALCOAT	
						2005	3.10	2.90	42	2.98	0.18		
						2006	3.00	2.90	42	2.94	0.21		
1	S.H.-200	001610	052.030	054.800	N	1997	3.10	3.00	53	3.04	0.10	SEALCOAT	1997
						1998	3.10	3.00	53	3.04	0.09		
						*1999	3.00	3.00	49	3.00	0.09		
						2000	3.30	2.90	49	3.06	0.09		
						2001	3.30	2.90	43	3.06	0.07		
						2002	3.30	2.90	43	3.06	0.10		
						2003	3.30	2.90	43	3.06	0.11		
						2004	3.10	2.90	43	2.98	0.11	SEALCOAT	
						2005	3.10	2.90	42	2.98	0.11		
						2006	3.10	2.90	42	2.98	0.13		
1	S.H.-200	001610	054.800	063.118	N	1997	2.40	5.00	53	3.84	0.21	SEALCOAT	1997
						1998	2.40	4.60	53	3.61	0.21		
						*1999	2.40	3.40	47	2.95	0.20		
						2000	3.30	5.00	47	4.24	0.19	C.R.A.B.S.	
						2001	3.40	5.00	53	4.28	0.04		
						2002	3.40	5.00	53	4.28	0.06		
						2003	3.40	5.00	53	4.28	0.07		
						2004	3.20	5.00	53	4.19	0.08		
						2005	3.30	5.00	42	4.24	0.07		
						2006	3.30	5.00	42	4.24	0.10	NEW CONST OR RECONST (FLEX)	
1	S.H.-200	001611	044.600	046.180	N	1997	2.00	1.00	55	1.37	0.23		2006
						1998	1.70	1.00	55	1.26	0.21		
						1999	2.00	1.00	55	1.37	0.16		
						2000	2.30	1.00	55	1.48	0.09		
						2001	2.20	1.00	55	1.45	0.11		
						2002	2.10	1.00	55	1.41	0.08		
						2003	2.10	1.00	53	1.41	0.09		
						2004	2.10	1.00	43	1.41	0.08		
						2005	2.10	1.00	42	1.41	0.09		
						2006	2.10	1.00	42	1.41	0.11		

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT  
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----  
FINAL INDEX REPORT FOR 1997-2006

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT INDEX DEPTH	REMARKS
---	-------	--------------	-----------------------	--------------------	-----	------	----	----	----	--------------------------	---------